


SHANGHAI ABRASIVE TOOLS CO.,LTD (Manufacturer of ABRASIVE TOOLS since 1990)

No.2486,Xinjianyi Road,Xuhang Industrial Zone,Jiading District, Shanghai,China 201808

Telephone: +86-21-59 555 666
Fax: +86-21-59 558 353
Email: sales@abrasivetool.com.cn
www.satcabrasives.com
www.abrasives-tools.com
www.abrasivetool.cn







# Shanghai Abrasive Tools Co., Ltd

Shanghai Abrasive Tools Co., Ltd was founded in 1990, started to expand overseas business since 2000. We are manufacturer specialized in cutting, grinding and polishing abrasive tools including cutting and grinding wheels, flap disc, abrasive paper and disc, abrasive sanding cloth, sanding belt, knife sharpener and various customized grinding materials.


In order to serve different clients, we have stores on Alibaba since 2004 for B 2 B and on Amazon for B 2 C, with total annual turnover of over 20 million USD. Depending on reliable product quality as well as excellent after-sale service, our products enjoy a high reputation among customers from over 130 countries, mainly in Germany, Sweden, Poland, The U.S.A, Canada, Brazil, Australia, Malaysia, India, South Africa and Saudi Arabia. We have certificates including MPA, E N 1 2 4 1 3, S D S, B S C I and R o H S for quality ensurance.

Relying on local resources and cost advantages, our company has the developed area of Shanghai as our sales center, also warehouses in Germany, Sweden, and affiliated factory in Jiangsu province. In addition, our products are marketed both at home and abroad, achieving amazing economic benefits and social benefits, and we will never stop the steps of trying to make it better than the history for higher quality and professional services support.











	nstalt Hannover Produktionstechnik	HAN	PA
Mark respect of	O Administrações de la compansa de l		bsen
Shanghai Abrasi DEVELOPMENT 20 DACHENO, HEBEI P.A. CHINA	we Tools Co., Ltd Met	Saide	
		Marriel	secreptures de
	Test Rep \$ 7190 0		
Your request dated for Ashing com	(11.06.2017 Year Sign: 62) for Jacobse	sor.	modest 14.06.261 angegregies
Teeling-material: (brackensleld)	Depressed carete grinding of George's Substances	test, Ø 115 mm	T 27 for energy and observe
Subject marker of the local dea Adrepor	e request	This, single-point	Equity lead
Sample taking: Protocounter	Strangful Suntone Business	Coreuling Co.	US. PR. OWN
Test bases histographoretype	EN 13/13/2007 + A1/2015		
Handed in an Argustate are:	N062017	in the	
Number of pages. Accelerate (sales)	•	V	2000
	temp bolid for any disconnection (Supracional Albahal is an angles of loss. Nationales disco for published sooks for acceptance books		
	minum yili Projetti nelestiti. Marantare pen 1,360 Kil		C tintrate
	anothing		



# CONTENTS

Flap Disc	P5
Strip Disc	<b>P9</b>
Polishing Wheel	P10
Sanding Disc	P12
Sanding Sheet	P17
Abrasive Mesh Screen	P19
Sandpaper	P20
Sanding Roll	P22
Non-woven Hand Pad/Steel Wool/Cork Sanding Block	P23
Sanding Block	P24
Sanding Belt	P26
Sanding Sleeve and Drum	P28
Fiber Disc	P31
Roloc Disc	P32
Mounted Stone	P34
Knife Sharpener	P35
Flap Wheel	P36
Rubber Eraser Wheel	P37







# Flap Disc



# AO

Material: Aluminum Oxide
Backing: Fiberglass
Type: ·T27 (Flat ) ·T29 (Conical)
Application:
For Metal,Steel,Wood, Plastic etc.

Type 27 Type 29

Type 29

Grit				
40	60	80	100	120

Item No.	Size		Max Speed	Max R.P.M	Pcs/Carton
item No.	Inch	mm	Iviax Speed	IVIDA IX.I .IVI	i cs/carton
SA28001	4"x5/8"	100x16		15200	200
SA28002	4.5"x7/8"	115x22		13300	200
SA28003	5"x7/8"	125x22	80m/s	12200	200
SA28004	7"x7/8"	180x22		8500	100
SA28005	9"x7/8"	230x22		6600	50



# ZA

Used for weld grinding, deburring and blending application for stainless steel, Iron, heat-treated steel, sheet metal etc.

it 40 60 80 100 120

Item No.	Size		May Chood	Max R.P.M	Pcs/Carton
	Inch	mm	Max Speed	IVIAX N.F.IVI	FCS/Carton
SA28009	4"x5/8"	100x16		15200	200
SA28010	4.5"x7/8"	115x22	80m/s	13300	200
SA28011	5"x7/8"	125x22	ouns	12200	200
SA28012	7"x7/8"	180x22		8500	100



5"x7/8"

SA28021

# CE

40

125x22

Material: ♦ Ceramic Alumina

Backing: Fiberglass

Type: •T27 (Flat ) •T29 (Conical)

Application:


For wide range of low to medium-high pressure applications, especially in paint prep and stainless steel fabrication.

Grit

100

120

Item No.	Size May Space	Max Speed	Max R.P.M	Pcs/Carton	
item No.	Inch	mm	iviax Speed	IVIAX R.P.IVI	PGS/Garton
SA28020	4.5"x7/8"	115x22		13300	200







# Flap Disc



# **Calcined AO**

Material: ♦ Calcined Aluminum Oxide
Backing: Fiberglass

Type: ·T27 (Flat) ·T29 (Conical)

Application:

For Mild Steel, Sheet Metal, Stainless Steel, Wood, Plastic etc.

Grit

Item No.	Size		May Speed	May D DM	Des/Cortes
	Inch	mm	Max Speed	Max R.P.M	Pcs/Carton
SA28006	4"x5/8"	100x16	80m/s	15200	200
SA28007	4.5"x7/8"	115x22		13300	200
SA28008	5"x7/8"	125x22		12200	200



# AO — Calcined AO — ZA

3 Kinds of Material:

♦ SA280013 --- Aluminum Oxide

SA280014 — Calcined Aluminum Oxide

SA280015 — Zirconia Alumina

Application: for irregularwork piece grinding and polishing. Much flexible, utilization ratio

### Grit

GIIL				
40	60	80	100	120

Item No.	Size		Max Speed	Max R.P.M	Pcs/Carton
ileiii No.	Inch	mm	iviax Speeu	IVIAX IX.I .IVI	1 GS/Garton
SA28013	4"x5/8"	100x16	80m/s	15200	200
SA28014	4"x5/8"	100x16			200
SA28015	3015 4"x5/8" 100x16		200		



# SC

40

Material: ♦Silicon Carbide
Backing: Fiberglass
Type: 1727 (Flat ) 1729 (Conical)
Application:
For Sanding Brick,Stone ,Concrete,Marble,Granite,Glass,Wood,Bamboo etc.

Grit

80

Item No.	Size		Max Speed	Max R.P.M	Pcs/Carton
	Inch	mm	iviax Speeu	IVIAX IX.F.IVI	F G5/Gartori
SA28016	4"x5/8"	100x16		15200	200
SA28017	4.5"x7/8"	115x22	90m/a	13300	200
SA28018	5"x7/8"	125x22	80m/s	12200	200
SA28019	7"x7/8"	180x22		8500	100

60

# Flap Disc



# AO

Material: 

Aluminium Oxide
Backing: Plastic
Type: ·T27 (Flat )

Application: For Metal, Steel, Wood, Plastic etc.

Type 27

120

Grit

Size	Max Speed	Max R.P.M	Pcs/Carton
mm	iviax Speeu	IVIAX IN.F.IVI	FG5/Carton

Item No.	SIZE		Max Speed	Max R.P.M	Pcs/Carton
ileiii No.	Inch	mm	Iviax Speed	IVIGATA.I .IVI	1 G5/Garton
SA28022	4.5"x7/8"	115x22	80m/s	13300	200
SA28023	5"x7/8"	125x22		12200	200



# ZA

Material: 

Zirconia Alumina
Backing: Plastic with thread
Type: ·T27 (Flat )

\_\_\_ Type 27

Application: Used for weld grinding,

deburring and blending application for stainless steel, Iron, heat-treated steel, sheet metal etc.

Grit

40 60 80 100 120
------------------

Item No.	Hub Thread	Si	ze	Max R.P.M	Pcs/Carton
ileiti No.	item No. Hub Tillead	Inch	mm	IVIAX N.F.IVI	PCS/Carton
SA28122	5/8"-11	4.5"	115	13300	200
SA28123	M14 x 2	5"	125	12200	200



# ZA

Material: ⊘Zirconia Alumina Backing: Alloy Hub with 5/8"-11 Thread Type: ·T27 (Flat ) ·T29 (Conical)

Type 27 Type 29

Used for weld grinding, deburring and blending application for stainless steel, Iron, heat-treated steel, sheet metal etc.

Grit

GIIL				
40	60	80	100	120

Item No.	Hub Thread	Size		Max R.P.M	Pcs/Carton
item No. Hub Tillead	Inch	mm	IVIAX K.F.IVI		
SA28024	5/8"-11	4.5"	115	13300	200

 $_{5}$ 





# Flap Disc



# Mini Zirconia Flap Disc

**⊘Zirconia Alumina** 

Match with 1/4" shank pad holder

Application:Used for die grinder, power drills, air grinders and other power tools. for grinding, stock removal, conicaling, weld blending, deburring, rust removal, cleaning and finishing.

G	r	İ	t

36	40	60	80	100	120

Item No.	Si	ze	Backing	Max Speed	Pcs/Carton
ilem No.	Inch	mm	Dacking	iviax Speeu	PCS/Carton
SA28027	2"	50	2	80m/s	1000
SA28028	3"	75		80m/s	500



# Mini Ceramic Flap Disc

♦ Ceramic Alumina

Match with 1/4" shank pad holder

Application:Used for die grinder, power drills, air grinders and other power tools. Widely used for welding and auto body work, die grinder surface prep, paper gasket and surface oxidation quick removal

Cari	

36 40 60 80 100 120	

Item No.	Size		Backing	Max Speed	Pcs/Carton
ilem No.	Inch	mm	Dacking	Iviax Opecu	F G5/Galloll
SA28127	2"	50	8	80m/s	1000
SA28128	3"	75		80m/s	500

# **Fiberglass Backing for Flap Disc**



# **Fiberglass Backing Plate for Flap Disc**

Material: Fiberglass fabric impregnated with phenolic resin Type 27 is flat , for 0°~15° working

Type 29 is conical, for 15°~30° working

Layer: can be customized according to requirement.

Type 27	Type 29

Item No.	Outer Diameter (mm)	Hole Diameter (mm)	Layer	Туре	Ring
SA28029	90	16.3	5+1		
SA28030	108	22.23	6+1	Type27	with 1 ring or
SA28031	118	22.23	7+1	Турегі	with 2 ring
SA28032	170	22.23	8+1		
SA28033	90	16.3	5+1		
SA28034	107	22.23	6+1	Type29	with 1 ring or
SA28035	118	22.23	7+1	1,5020	with 2 ring
SA28036	170	22.23	8+1		

# **Strip Disc**



# **Fiberglass Backing Strip Disc**

Color:

♦Black

**○Purple** 

Backing: Fiberglass

Application: Excellent for removing paint, varnish, welding point, rust, sealant and other surface contaminants. Purple one is especially high efficiency and longer life.

Item No.	Si	ze	Max R.P.M	Working R.P.M	Pcs/Carton
ileiti No.	Inch	mm	IVIAX IN.F.IVI	WORKING IX.F.IVI	FG5/Galton
SA28037	4.5"x7/8"	115x22	11000	8600	100
SA28038	5"x7/8"	125x22	9800	7800	100



# **Shaft Mounted Strip Disc**

Material: Polycarbide

Color:

♦Black

**○Purple** ○Blue

Shank: 1/4" size can fit most of drills perfectly.

Application: Removes rust, paint and other coatings quickly and easily. Purple one is especially high efficiency

Item No.	Si	ze	Max R.P.M	Working R.P.M	Pcs/Carton	
ileiii No.	Inch	mm	IVIAX IN.F.IVI	WOIKING K.F.W	FG/Carton	
SA28042	2"x1/4"	50x6	16000	12000	500	
SA28043	3"x1/4"	75x6	10500	8000	500	
SA28044	4"x1/4"	100x6	8000	6000	200	




# R-type Quick Change Strip Disc

Material: Polycarbide

Color:

♦Black **○Purple** 

Back: Male R-Type



Item No.	Si	ze	Max R.P.M	Working R.P.M	Pcs/Carton	
ileiti No.	Inch	mm	IVIAX IX.F.IVI	Working R.F.IVI	PCS/Carton	
SA28042	\$A28042 2" 50 \$A28043 3" 75		16000	12000	500	
SA28043			10500	8000	500	

# shanghal abrasive tools co.,Ltd Abrasive Tools



# **Polishing Wheel**



Material: Non-woven Cloth

Backing: Fiberglass

Type: ·T27 (Flat ) ·T29 (Conical)

Type 27 Type 29

Application: Excellent for aluminum, stainless steel, and titanium deburring, edge breaking, blending, cleaning, finishing, and polishing after traditional grinding is done.

Available : Coarse --- Yellow Medium --- Red Fine --- Grey

Item No.	Si	ze	Max Speed	Max R.P.M,	Pcs/Carton	
ilem No.	Inch	mm	iviax Speeu	IVIAX K.F.IVI,	PCS/Carton	
SA28025	4.5"x7/8"	115x22	80m/s	12200	100	
SA28026	5"x7/8"		13300	100		



Material: Nylon mixed with abrasive cloth

Backing: Fiberglass

Application:For Stainless steel, Steel, Alloyed Steel, Non-ferrous Metals and Alloys. Used Widely in Aerospace, Plant Maintenance, Foundry, Automotive, Metal Fabrication and Shipyards.

Available Color: Maroon, Green

Item No.	Si	ze	Thickness(mm)	Max Speed	Pcs/Carton	
	Inch	mm	THICKHESS(ITIITI)	iviax Speeu		
SA28045	4"x5/8"	100x16		80m/s	100	
SA28046	4.5"x7/8"	115x22	15	80m/s	100	
SA28047	5"x7/8"	125x22		80m/s	100	



Material: Wool Felt

Backing: Fiberglass

Application: Suitable for polishing metal, wood, glass, medical equipment, jewelry, stainless steel, stone and jewelry etc.

used in the final stage of polishing for a high gloss or mirror finish.

Item No.	Si	ze	Thickness(mm)	Max Speed	Pcs/Carton	
item No.	Inch	mm	THICKHESS(ITIITI)	iviax Speeu	PGS/Cartori	
SA28048	4.5"x7/8"	115x22	7	80m/s	100	
SA28049	5"x7/8"	125x22	ľ	80m/s	100	



Material: Wool Felt


Backing: Fiberglass

Application: Suitable for polishing metal, wood, glass, medical equipment, jewelry, stainless steel, stone and jewelry etc.

used in the final stage of polishing for a high gloss or mirror finish.

Item No.	Si	ze	Thickness(mm)	Max Speed	Pcs/Carton	
	Inch	mm	THICKHESS(ITIITI)	iviax Speeu		
SA28050	4"x5/8"	100x16	100x16 115x22 13 125x22	80m/s	100	
SA28051	4.5"x7/8"	115x22		13 80m/		100
SA28052	5"x7/8"	125x22		80m/s	100	

# SANDING DISC



- •Sanding discs are versatile tools used for grinding, polishing, and finishing various materials.
- •Ideal for woodworking, metal fabrication, and even paint removal.
- •Our Gold Yellow Sanding Discs stand out for auto detailing, offering superior grit for a flawless finish.





# **Sanding Disc**



# Aluminum Oxide Hook and Loop/PSA Sanding Disc

- 1. Premium quality Aluminum oxide.
- 2. D- weight paper
- 3. For general purpose such as wood, metal, car repair, chipboard, veneers etc.

40 60 80 100 120 150 180 220	240 320 400
------------------------------	-------------

Item No.	Size		Holes	Backing	Pcs/Carton	
item No.	Inch	mm	Holes	Dacking	PCS/Carton	
SA08001	2"	50	50 0 hole	10000		
SA08002	3" 75	75	0 hole	Hook and Loop	5000	
SA08003	4"	100	0 hole		2000	
SA08004	4.5"	115	0 hole		2000	
SA08005	5"	125	8 holes	125 8 holes	or	2000
SA08006	6"	150	"0 hole - 6 holes - 7 holes- 15 holes- 17 holes"	PSA	1000	
SA08007	7"	180	0 hole	FOA	600	
SA08008	8"	200	0 hole		500	
SA08009	9"	225	"0 hole -8 holes -10 holes-19 holes"		400	
SA08010	12"	300	0 hole		100	



# Super Coated Aluminum Oxide Hook and Loop/PSA Sanding Disc

- 1. Super coated treatment, anti-clogging and anti-static.
- 2. D-weight paper
- 3. For general sanding and finishing applications on whitewood, metal, composites, primer, paint, sealers, and topcoats.

G	r	İ	t	

GIIL											
40	60	80	100	120	150	180	220	240	320	400	600
			l								

Item No.	Si	ze	Holes	Backing	Pcs/Carton
ilem No.	Inch	mm	1 10165	Dacking	FG5/Garton
SA08021	2"	50	0 hole		10000
SA08022	3"	75	0 hole		5000
SA08023	4"	100	115 0 hole		2000
SA08024	4.5"	115		Hook and Loop	2000
SA08025	5"	125	8 holes	or	2000
SA08026	6"	150	"0 hole - 6 holes - 7 holes- 15 holes- 17 holes"	PSA	1000
SA08027	7"	180	0 hole	1 34	600
SA08028	8"	200	0 hole		500
SA08029	9"	225	"0 hole -8 holes -10 holes-19 holes"		400

# **Gold Sanding Disc/Sanding Roll**



### Hook and Loop/PSA Gold Sanding Disc

- 1. Special anti-clog performance stearate coating aluminum oxide
- 2. D-weight paper
- 3. For autobody sanding before and after painting.

r	it	

Ont												
40	60	80	100	120	150	180	220	240	320	400	600	800

Item No.	Si	ze	Holes	Backing	Pcs/Carton
ileiii No.	Inch	mm	1 10165	Dacking	FG/Carton
SA08011	2"	50	0 hole		10000
SA08012	3"	75	0 hole		5000
SA08013	4"	100	0 hole	Hook and Loop	2000
SA08014	4.5"	115	0 hole		2000
SA08015	5"	125	8 holes		2000
SA08016	6"	150	"0 hole - 6 holes - 7 holes- 15 holes- 17 holes"	PSA	1000
SA08017	7"	180	0 hole	roa	600
SA08018	8"	200	0 hole		500
SA08019	9"	225	"0 hole -8 holes -10 holes-19 holes"		400



# Sticky Back PSA Self Adhesive Gold Sanding Disc Roll

- 1. Brand Sticky Back, premium paper for finishing as well as heavy stock removal.
- 2. Durable aluminum oxide grain delivers a fast, exceptionally long lasting cut.
- 3. Used for automotive, marine, RV, industrial, woodworking etc

Grit	

40	60	80	100	120	150	180	220	240	320	400	600	800

Item No.	Si	ze	Pcs/Roll	Pooking	Pcs/Carton	
ileiti No.	Inch	mm	PG/RUII	Backing	PGS/Carton	
SA18081	5"	125	100	PSA (Sticky)	24	
SA18082	6"	150	100	1 SA (Gloky)	12	



# Sticky Back PSA Self Adhesive Gold Sanding Paper Roll

- 1. Aluminum oxide grain coateded with pressure sensitive adhesive (PSA).
- 2. Ideal for woodworking sanding projects, shaping plastic, body filler, metal sanding etc.
- 3. Designed for use with your existing Dura-Block sanding blocks, firm and flex longboard files.

Grit 40

0	60	80	100	120	150	180	220	240	320	400	600	800

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
ILCITI NO.	Inch	mm	I IUICS	Dacking	FG/Gallon	
SA18080	2-3/4" x20yd	70mmx18.28mm	0 hole	PSA (Sticky)	12	





# **Sanding Disc**



# **Green Film Hook and Loop Wet Sanding Disc**

- 1. Polyster film backing, waterproof design for dry/wet sanding
- 2. Mixed abrasive grains. Sharp working.
- 3. Used for automotive, electronic, CD-ROM, metal, marble, furniture.

^		:	
G	r	1	τ

0111										
40	60	80	100	120	150	180	240	320	400	
600	800	1000	1200	1500	2000					

Item No.	Size		Holes	Backing	Pcs/Carton	
item No.	Inch	mm	110163	Dacking	1 00/Outlon	
SA08051	2"	50	0 hole		10000	
SA08052	3"	75	0 hole	Hook and Loop	5000	
SA08053	4" 100 0 hole	0 hole	or	2000		
SA08054	4.5"	115	0 hole	PSA	2000	
SA08055	5"	125	8 holes	. 34	2000	
SA08056	6"	150	"0 hole - 6 holes - 7 holes- 15 holes- 17 holes"		1000	



### **Purple Ceramic Abrasive Sanding Disc**

- 1. High-quality ceramic alumina abrasives provides sharp and fast cutting. help your work done quickly.
- 2. Film backing is for wet and dry sanding.
- 3. Used for metal and non-metal, especially suitable for carpentry and body repair professionals

GIIL									
40	60	80	100	120	150	180	240	320	400
600	800	1000	1200	1500	2000				

Item No.	Si	ze	Holos	Holes Backing Pcs/0	
ileiii ivo.	Inch	mm	110162	Dacking	Pcs/Carton
SA08061	5"	125	8 holes	Hook and Loop	2,000
SA08062	6"	150	"0 hole - 6 holes - 7 holes- 15 holes- 17 holes"	Hook and Loop	1,000



# **Aluminum Oxide Abrasive Mesh Sanding Disc**

- 1. Dust free sanding and anti blocking design.
- 2. Removal of dust particles eliminates loading and pilling problems
- 3. Used for portable, self-generating, or central vacuum systems

Grit								
80	120	150	180	240	320	400	600	800

Item No.	Si	ize	Holes	Backing	Pcs/Carton	
	Inch	mm	I IUIC3	Dacking	r G/Carton	
SA08120	4.5"	115			2,000	
SA08121	5"	125		Hook and Loop	2,000	
SA08122	6"	150	Open Mesh	attachment	1,000	
SA08123	9"	225			500	
SA08124	2.8" x 5"	70X125			5,000	

# **Sanding Disc**



# Silicon Carbide Drywall Sanding Screen Disc

- 1. Manufactured with silicon carbide that is bonded to a uniform open mesh..
- 2. Open mesh "screen" construction, higher resistance against the friction and heat of continuous sanding.
- 3. Used for removing varnish or paint from existing floors. Also used on wood, concrete, urethane, marble & stone

irit										
40	60	80	100	120	150	180	220	240	320	400

Item No.	Size		Holes	Backing	Pcs/Carton	
item No.	Inch	mm	T IOICS	Dacking	PCS/Carton	
SA08140	5"	125		Hook and Loop attachment	2000	
SA08141	6"	150			1000	
SA08142	7"	180	Open Mesh		1000	
SA08143	9"	225			100	
SA08144	14"	356			50	
SA08145	16"	406			50	
SA08146	17"	432			50	



# Silicon Carbide Hook and Loop/PSA Sanding Disc

- 1. Quality silicon carbide abrasive, waterproof design for dry/wet sanding.
- 2. D weight paper.
- 3. Used for sanding on natural stone, chipboard,plastic,marble,veneer,non-ferrous etc.

Grit	
4	

3110											
40	60	80	100	120	150	180	240	320	400	600	
800	100	1200	1500	2000	3000	4000	5000	7000			

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
ileiii No.	Inch	mm	110162	Dacking		
SA08041	4"	100	0 hole		2000	
SA08042	4.5"	115	0 hole		2000	
SA08043	5"	125	8 holes	"Hook and Loop	2000	
SA08044	6"	150	"0 hole - 6 holes - 7 holes- 9 holes -15 holes- 17 holes"	or	2000	
SA08045	8"	200	0 hole	PSA"	500	
SA08046	9"	225	0 hole		500	



# **Zirconium Oxide Cloth Back Sanding Disc**

- 1. Zirconia alumina material with high efficiency performance.
- Cloth backing for Heavy duty working.
- 3. Used for stone, chipboard, plastic, marble, veneer, non-ferrous, wooden floors sanding.

	24	36	40	60	80	120
--	----	----	----	----	----	-----

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
ilem No.	Inch	mm	110165	Dacking		
SA08031	4"	100	0 hole	Y weight Cloth	2000	
SA08032	4.5"	115	0 hole		2000	
SA08033	5"	125	8 holes		2000	
SA08034	6"	150	"0 hole - 6 holes - 7 holes- 9 holes -15 holes- 17 holes"		2000	
SA08035	7"	180	0 hole		1000	
SA08036	8"	200	0 hole		1000	





# **Drywall Sander Disc and Sheet**



# 225mm Round Multi Holes Drywall Sander Disc

- 1. White fused Aluminum oxide grain, last 3 times as long as standard discs
- 2. Hook and Look backing, easy to change.
- 3. Multi holes ,anti clogging and dust free.
- 4. Designed for paint and plaster/drywall sanding and finishing

Grit

0							
40	60	80	100	120	150	180	220

Item No.	Si	ze	Holes	Backing	Pcs/Carton
ileiii ivo.	Inch	mm	1 10105	Dacking	F G5/Carton
SA08100	9"	225	Multi Holes	Hook and Loop	100



# 225mm Aluminum Oxide Drywall Sander Disc

- 1. Premium quality Aluminum oxide is for material removal and resurfacing
- 2. Hook-and-loop backing makes for easy installation and removal
- 3. D weight paper
- 4. Match with Drywall Sander

40 60 80 100 120 150 180	220

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
ileiii ivo.	Inch	mm	I IUICS	Dacking	FG5/CallOII	
SA08102	9"	225	8 holes , 10 holes , 19 holes	Hook and Loop	100	



### 285mm Triangle Multi Holes Drywall Sander Sheet

- 1. Premium quality Aluminum oxide is for material removal and resurfacing
- 2. Hook-and-loop backing makes for easy installation and removal
- 3. D weight paper
- 4. Match with Drywall Sander

G	rit	
_		_

Grit							
40	60	80	100	120	150	180	220

1 centre hole dia.7mm

Item No.	Si	ze	Holes	Backing	Pcs/Carton
ILCITI INO.	Inch	mm	I IUICS	Dacking	F C5/Carlon
SA08103	11-1/4"	285	12 holes	Hook and Loop	100

### Self Adhesive Discs&Velcro Adhesive Discs 10 holes 115 x 280 mm 8 holes 93 x 230 mm 8 holes 115 x 280 mm 8 holes 93 x 180 mm 8 holes 10 holes 115 x 230 mm 80 x 133 mm 93 x 230 mm 115 x 280 mm Dia. 150mm 8 holes dia. 10mm on hole circle dia. Dia 150mm 8 holes dia 10mm on hole circle dia Dia. 115mm 8 holes dia 10mm on hole circle dia Dia. 150mm 6 holes dia Dia. 125mm 8 holes dia. 10mm on hole circle dia. Dia.150mm 8holes Dia.10mm on hole circle dia. Triangle dia.96mm 6 holes dia. 10mm on hole Dia. 150mm 8 holes dia. 10mm on hole circle dia. 118mm 6 holes dia 10mm 116mm 8 holes dia 10mm

# **Sanding Sheet**



# Triangle Shaped Aluminum Oxide Hook and Loop Sanding Sheet

- 1. Premium open coated aluminum oxide abrasive.
- 2. Hook and Loop design, easy and quick to change.
- 3. Used for woodworking, paintwork and all types of preparation work.
- 4. D-weight paper.

Grit

40	60	80	100	120	150	180	220	240	320	400	

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
ileiii ivo.	Inch	mm	I IUICS	Dacking	F C5/Carlon	
SA08304	3.7" x 3.7" x 3.7"	93x93x93	6 holes	Hook and Loop	2000	



# Mouse Shaped Aluminum Oxide Hook and Loop Sanding Sheet

- 1. Premium open coated aluminum oxide grain.
- 2. Hook and Loop design, easy and quick to change.
- 3. Used for grinding and polishing of metal and non-metal, wood, rubber, leather, plastic etc.
- 4. D-weight paper.

Grit										
40	60	80	100	120	150	180	220	240	320	400

|--|

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
ILCITI NO.	Inch	mm	i ioles	Dacking	r G5/Garton	
SA08302	55" x 5.5" x 3.6"	140x140x90	5 holes	Hook and Loop	2000	




# Mouse Shaped Aluminum Oxide Hook and Loop Sanding Sheet

- 1. Durable and anti-static Aluminum oxide abrasive.
- 2. Hook and Loop design, easy and quick to change.
- 3. Used for polishing metal, rust removal, wood work, plastic, leather, rubber and glass.
- 4. D-weight paper.

T I L										
40	60	80	100	120	150	180	220	240	320	400

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
ileiii No.	Inch	mm	110165	Dacking		
SA08310	6"x6"x4.2"	150x150x105	11 holes	Hook and Loop	2000	



# **Aluminum Oxide Hook and Loop Sanding Sheet**

- 1. Premium open coated aluminum oxide grain.
- 2. Hook and Loop backing helps make paper change easy and fast.
- 3. Used in wood, rubber, plastic, leather grinding and polishing.
- 4. D-weight paper.

Grit										
40	60	80	100	120	150	180	220	240	320	400

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
ILCITINO.	Inch	mm	110165	Dacking	PCS/Carton	
SA08306 (A)	6"x6"x4.2"	150x150x105	12 holes	Hook and Loop	2000	
SA08307 (B)	6"x6"x4.2"	150x150x105	12 110163	Hook and Loop	2000	



# SHANGHAI ABRASIVE TOOLS CO.,LTD **Abrasive Tools**

# **Sanding Sheet**



# **Aluminum Oxide Hook and Loop Sanding Sheet**

- 1. Premium open coated aluminum oxide grain.
- 2. Hook and Loop backing helps make paper change easy and fast.
- 3. Used in wood, rubber, plastic, leather grinding and polishing.
- 4. D weight paper.

Grit	

	40	60	80	100	120	150	180	220	240	320	400	
--	----	----	----	-----	-----	-----	-----	-----	-----	-----	-----	--

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
ILCITI NO.	Inch	mm	I IUICS	Dacking		
SA08308 (A)	6"x6"x4.2"	150x150x105	8 holes	Hook and Loop	2000	
SA08309 (B)	6"x6"x4.2"	150x150x105	o noios	Hook and 200p	2000	



# **Aluminum Oxide Hook and Loop Sanding Sheet**

- 1. Premium open coated aluminum oxide grain.
- 2. Hook and Loop backing helps make paper change easy and fast.
- 3. Used in wood, rubber, plastic, leather grinding and polishing.

Oile
------

Grit										
40	60	80	100	120	150	180	220	240	320	400

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
item No.	Inch	mm	I IUICS	Dacking	1 CS/Carton	
SA08203	4.5"x4.2"	115x105	8 holes		1000	
SA08201	3.7"x7.6"	93x190	8 holes	Hook and Loop	1000	
SA08205	4.5"x9.2"	115x230	14 holes		1000	



# **Aluminum Oxide Sanding Sheet Plain**

- 1. Premium open coated aluminum oxide grain.
- 2. Match with handle palm sander
- 3. Used in wood, rubber, plastic, leather grinding and polishing.
- 4. D weight paper.

Grit

40	)	60	80	100	120	150	180	220	240	320	400
----	---	----	----	-----	-----	-----	-----	-----	-----	-----	-----

Item No.	Si	ze	Holes	Backing	Pcs/Carton	
	Inch	mm	Holes	Dacking		
SA08204	4.5"x6"	115x150	0 hole		1000	
SA08202	3.7"x9"	93x230	0 hole	Paper	1000	
SA08206	4.5"x11.2"	115x280	0 hole		1000	

# **Abrasive Screen Mesh**



### **Abrasive Screen Mesh Roll**

- 1. Waterproof Aluminum Oxide Abrasive
- 2. For Cleaning and Etching Copper Pipe and Copper and Brass Fittings.

40	60	80	100	120	150	180	220	240	320	400	1

Item No.	Si	ze	Holes	Pcs/Carton	Packaging	
item No.	Width (mm)	Length (meter)	I IUICS	FG/Calton		
SA08160	38	5 meter		80		
SA08161	38	10 meter	Open Mesh	40	As required	
SA08162	105	5 meter	Open wesh	20	As required	
SA08163	115	5 meter		10		



### **Abrasive Screen Mesh Strip**

- 1. Waterproof Aluminum Oxide Abrasive
- 2. For Cleaning and Etching Copper Pipe and Copper and Brass Fittings.

Grit

40	60	80	100	120	150	180	220	240	320	400

Item No.	Si	ze	Holes	Pcs/Carton	Packaging	
	Width (mm)	Length (meter)	Hules	PGS/Carton		
SA08164	38	225	Open Mesh	5000	Color box	



### **Abrasive Screen Mesh Sheet**

- 1. Waterproof Aluminum Oxide Abrasive
- For Cleaning and Etching Copper Pipe and Copper and Brass Fittings.

Grit

Item No.	Si	ze	Holes	Pcs/Carton	Pookoging
ileiii No.	Width (mm)	Length (meter)	Holes	PGS/Carton	Packaging
SA08165	93	280	Open Mesh	2000	Shrink+Label
SA08166	115	280	Open meen	1000	Olli III. Lubel





# Sandpaper



### Yellow Sandpaper Sheets for woodworking

- 1. Durable aluminum oxide grain, support for longer work life and higher resistance to wear.
- 2. Maximum resistance to clogging and loading from a special stearate coateding.

|--|

40	60	80	100	120	150	180	220	240	320	400	600

Item No.	Si	ze	Abrasive Material	Backing	Pcs/Carton
	Inch	mm	Abiasive ivialerial	Dacking	PCS/Carton
SA18001	3.6"x9"	93x230	Aluminum Oxide	White Paper	2000
SA18003	9"x11"	230x280	Aluminum Oxide	winte i apei	1000



# **Garnet Sanding paper Sheet**

- 1. General glass sanding and matal plate preparation before applying stain, varnish, or paint.
- 2. Softly cuts to produce a smooth finish

GIII										
60	80	100	120	150	180	220	240	320	400	600

Item No.	Si	ze	Abrasive Material	Backing	Pcs/Carton
ileiii ivo.	Inch	mm	Abiasive ivialerial	Dacking	F G5/Galton
SA18020	3.6"x9"	93x230	Garnet	Kraft Paper	2000
SA18021	9"x11"	230x280	Samot	a.r upor	1000



### **Red Aluminum Oxide Sandpaper Sheet**

- 1. Dry sanding paper.
- 2. C weight paper.
- 3. Used for polishing and sanding of metal, carbon fiber workpieces, fiber glass, composite materials and

# Grit

40	60	80	100	120	150	180	220	240	320	400	600
800	1000	1200	1500	2000							

Item No.	Si	ze	Abrasive Material	Backing	Pcs/Carton
item No.	Inch	mm	Abiasive ivialerial	Dacking	PGS/Carton
SA18030	3.6"x9"	93x230	Aluminum Oxide	Kraft Paper	2000
SA18031	9"x11"	230x280	Addiniani Oxido	rtiait i apoi	1000



# White Super coateded Sandpaper Sheets for Paint

- 1. Premium resin-bonded aluminum oxide open coated with stearate coateding.
- 2. Special non-stick coateding designed to eliminate the dust that often clogs other sandpapers rendering them

O											
40	60	80	100	120	150	180	220	240	320	400	600

Item No.	Si	ze	Abrasive Material	Backing	Pcs/Carton
ileiii ivo.	Inch	mm	Abi asive ivialeriai	Dacking	F C5/Carton
SA18040	3.6"x9"	93x230	Aluminum Oxide	Blue Latex	2000
SA18041	9"x11"	230x280	Addiniani Oxido	Dido Ediox	1000

# Sandpaper



# **Gold Super coateded Sandpaper Sheets for Paint**

- 1. Utilizing semi-open granule technology and special anti-blocking stearate.
- 2. Mainly used in steel, aluminum alloy, putty, lacquer, automotive, auto parts, construction machinery, trains and other fields

(	Grit
Г	

GIIL													
40	60	80	100	120	150	180	220	240	320	400	600	800	

Item No.	S	ze	Abrasive Material	Pooking	Pcs/Carton	
ilem No.	Inch	mm	Abiasive ivialeriai	Backing	PCS/Carton	
SA18050	3.6"x9"	93x230	Aluminum Oxide	Kraft Paper	2000	
SA18051	9"x11"	230x280	Aluminum Oxide	Mait i apei	1000	




# Wet & Dry Silicon Carbide Sandpaper Sheets

- 1. Made with silicone carbide, sharp, synthetic material that cuts fast and smooth.
- 2. Used for wet sanding between coateds of varnish, paint& other finishes.

Grit	

Ont											
40	60	80	100	120	150	180	220	240	320	400	600
800	1000	1200	1500	2000							

Item No.	Si	ze	Abrasive Material	Backing	Pcs/Carton
	Inch	mm	Abiasive ivialerial	Dacking	PCS/Carton
SA18060	3.6"x9"	93x230	Garnet	Kraft Paper	2000
SA18061	9"x11"	230x280	Guinet	raut rapor	1000



### Waterproof abrasive paper ( latex impregnated ) for wet and dry sanding

- 1. Can be used with water to reduce clogging and extend abrasive life.
- 2. Used for wet sanding of paints, primes, surfaces of the automobile industries, mechanical components and precision instrument.

Grit	
40	

40	60	80	100	120	150	180	220	240	320	400	600
800	1000	1200	1500	2000							

Item No.	Si	ze	Abrasive Material	Backing	Pcs/Carton
	Inch	mm	Abiasive ivialeriai	Dacking	PGS/Carton
SA18062	3.6"x9"	93x230	Aluminum Oxide	15% Grey Latex	2000
SA18063	9"x11"	230x280	Addiniani Oxido		1000



### Waterproof abrasive paper ( latex impregnated ) for wet and dry sanding

- 1. Can be used with water to reduce clogging and extend abrasive life.
- 2. Used for wet and dry standing, usually used in polishing and sanding paints, precision instrument, metal, composite materials, automobile production and repair etc.

Grit
------

40	60	80	100	120	150	180	220	240	320	400	600	
800	1000	1200	1500	2000	2500	3000	5000	7000				

	Item No.	Si	ze	Abrasive Material	Backing	Pcs/Carton	
		Inch	mm	Abi asive ivialerial		FG/Carton	
	SA18064	3.6"x9"	93x230	Aluminum Oxide	30% Blue Latex	2000	
	SA18065	9"x11"	230x280	Alaminam Oxido	00% Blue Eulex	1000	

# SHANGHAI ABRASIVE TOOLS CO.,LTD Abrasive Tools



# **Sand Paper Roll**



# Yellow Aluminum Oxide Sanding paper Roll

- 1. Durable aluminum oxide grain, support for longer work life and higher resistance to wear.
- 2. Maximum resistance to clogging and loading from a special stearate coateding.
- 3. Specially for woodworking.

Item No.	Si	ze	Crit Panga	Dooking	Dockooing	
item No.	Width	Length	Grit Range	Backing	Packaging	
SA18170	75mm	"5meter or	"40#,60#,80#,100#,120#,			
SA18171	93mm	25meter or		D-weight Paper	Color Paper +	
SA18172	115mm	50meter"	180#,220#,240#,320#, 400#,600#"	D-weight Paper	Shrink Wrapped	
SA18173	150mm	Joinetei	400#,000#			



# Red aluminum oxide Sandpaper Roll

- 1. Aluminum oxide grain
- 2. Ideal for woodworking sanding projects, shaping plastic, body filler, feather edging, metal sanding etc.

Item No.	Si	ze	Grit Range	Backing	Dockoging	
ileiii No.	Width	Length	Gill Range	Dacking	Packaging	
SA18271	75mm	"5meter or	"40#,60#,80#,100#,120#,			
SA18272	93mm	25meter or		C weight Dancy	Color Paper +	
SA18273	115mm	50meter"	180#,220#,240#,320#, 400#.600#"	C-weight Paper	Shrink Wrapped	
SA18274	150mm	23010.	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			

# **Sand Cloth Roll**



# J -weight aluminum oxide Sanding Cloth Roll

- 1. Hand torn emery cloth, soft texture, Not easy to break
- 2. Water proof, oil-resistance, anti-clogging , Not easy to curl and drop sand.
- 3. Used for glass, metal, paint, plastics, porcelain, PVC, steel, stone, and other polishing and burnishing projects.

Item No.	Si	ize	Grit Range	Backing	Packaging	
ileiti No.	Width	Length	Gill Range	Dacking	rackaging	
SA18086	75mm	"5meter or	40#,60#,80#,100#,120#,			
SA18087	93mm	25meter or	150#,180#,220#,240#,	J weight Cloth	Color Paper +	
SA18088	115mm	50meter"	320#.400#	5 weight Cloth	Shrink Wrapped	
SA18089	150mm	<b>C</b> 0	02011,10011			

# **Non-Woven Hand Pad**



# Non Woven gereral purpose Abrasive Hand Pads

- 1. Flexible abrasive pads are resistant to chemicals, perfect for cleaning and fine finishing.
- 2. Leaves no metallic particles behind
- 3. Provide a longer lasting surface than sandpaper

Item No.	Si	ze	Color	Grit	Pcs/Carton
	Inch	mm	COIOI	Gill	FG5/Gallott
SA18110	6"x9"	150x230	Black	Coarse	2000
SA18111	6"x9"	150x230	Maroon	Medium	2000
SA18112	6"x9"	150x230	Green	Fine	2000
SA18113	6"x9"	150x230	White	Ultra Fine	2000

# **Steel Wool**



### **Material: Carbon Steel**

Application

0000# Super Fine - Final finish.
00# Very Fine - metal polish
0#Fine - smooth&finish
1#Medium - General Purpose
3# Coarse - Paint/varnish removal
4# Extra Coarse - Heavy duty

Item No.	Size(mm)	Wire Size (mm)	Grade	Weight	Pcs/Carton
SA58343		0.02	0000# ,Super Fine		30pc/carton
SA58344		0.03	000#, Extra Fine		
SA58345		0.04	00#,Very Fine	200g	
SA58346	160x65	0.05	0#,Fine		
SA58347	100,003	0.08	1#,Medium		
SA58348		0.12	2#,Medium Coarse		
SA58349		0.22	3#,Coarse		
SA58350		0.35	4#,Extra Coarse		

# Cork Sanding Block



### **Cork Sanding Block**

- 1. Material:compressed cork
- 2. For hand use
- 3. Match with Sandpaper

Size

# shanghal abrasive tools co.,Ltd Abrasive Tools



# **Sanding Sponge**



## **Aluminum Oxide Sanding Sponge**

- 1. Wet or dry sanding
- 2. Use on wood, paint, metal, plastic or drywall
- 3. Four-side


Item No.	Size		Grits	Backing	Pcs/Carton	
item No.	Inch	mm	Gills	Dacking	FG/Carton	
SA56101	2-3/4"x4"x1"	100*70*25	"40#, 60#,80#, 100#,120#, 150#,180#, 220#, 240#"	Sponge/EVA	500	



# **Angled Aluminum Oxide Sanding Sponge**

- 1. Wet or dry sanding
- 2. Use on wood, paint, metal, plastic or drywall
- 3. One side is angled.

Item No.		Grits	Backing	Pcs/Carton		
	item No.	Inch	mm	GIIIS	Dacking	PG5/Carton
	SA56101	2-3/4"x4"x1"x2"	100*70*25x50	"40#, 60#,80#, 100#,120#, 150#,180#, 220#, 240#"	Sponge/EVA	500



# **Double Side Washable and Reusable Sand Sponge**

- 1. Wet or dry sanding
- 2. Use for Surface of Metal, Wood, Glass, Plastic etc.
- 3. Two-side

Item No.		Grits	Backing	Pcs/Carton	
ILCITI INO.	Inch	mm	Gillo	Dacking	r Gs/Carton
SA56102	4.7"x3.9"x 0.47"	120*100*12	"40#, 60#,80#, 100#,120#, 150#,180#, 220#, 240#"	Flexible Soft FoamSponge	500



# Wet or Dry Hand Sponge Sandpaper

- 1. Wet or dry sanding
- 2. Use for automotive, electronics and car body fine repair work
- 3. One-side

Item No.		Grits	Backing	Pcs/Carton	
item No.	Inch	mm	Gills	Dacking	F G5/ Gaitoii
SA56202	5.5"x4.5"x1/5"	140*115*5	"400#, 600#, 800#, 1000#, 1200#, 1500#, 2000#, 3000#"	Flexible Soft Foam	500



# **Hook and Loop Sanding Sponge Disc**

- 1. Wet and dry use,
- 2. Washable and reusable
- 3. For polishing furniture, plastic products, car repair paint, metal rust, etc
- 4. One-side

Item No.	Size	Grits	Backing	Pcs/Carton
SA56203	50mm	"320#, 400#, 600#, 800#, 1000#, 1200#,	Hook and Loop	1000
SA56204	75mm	1500#, 2000#, 3000#, 4000#, 5000#, 7000#, 10000#"	Hook and Loop	1000

# SANDING BELLT

Available in various widths,lengths and grit, sizes, allowing for different application.

Commonly used in woodworking,furniture making,metalworking and automotive industries.

Effective for various sanding tasks,including stock removal,shaping,smoothing and finishing.







# **Sanding Belt**



# **Aluminum Oxide Sanding Belt**

- 1. open coat aluminum oxide grain, and an impressive resin on resin bond that ensures long lasting performance
- 2. For wood, aluminum, fiberglass, rubber, plastic and non-ferrous metals

Belt (	Connectio	n
Overlap		Butt

Item No.	Si	ze	Grit	Backing	Pcs/Pack	Pcs/Carton
ileiii No.	Inch	mm	GIIL	Dacking	FG5/Fack	FG/Carton
SA48010	1"x30"	25x762	40#		24	600
SA48011	1.5"x12"	40x305	60#		24	600
SA48012	2"x27"	50x686	80#	v	10	100
SA48013	2"x72"	50x1829	120#	Χ,	10	100
SA48014	3"x18"	75x457	150#	Y-wt polyester cloth	24	240
SA48015	3"x21"	75x533	180#		20	288
SA48016	4"x24"	100x610	240#		12	192
SA48017	4"x36"	100x915	320#		12	192
SA48018	6"x48"	150x1219	400#		6	72



# **Zirconia Sanding Belt**

- 1. Premium zirconia mineral cuts faste
- 2. Heavy Y-weight polyester backing supports high-pressure, tough applications
- 3. For ferrous and nonferrous metal,harder wood stock,can be even be used as a knife blade sharpener

Belt Connecti	on
	//
/	
Overlan	Ruff

Item No.	Si	ze	- Grit Backing	Pcs/Pack	Pcs/Carton		
ileiii No.	Inch	mm	Gill	Dacking	FG5/Fack	FG5/Galloll	
SA48100	1"x30"	25x762	40#		24	600	
SA48101	2"x72"	50x1829	60#		10	100	
SA48102	3"x18"	75x457	80# 120# 150#	120# 150#	Χ,	24	240
SA48103	3"x21"	75x533			Y-wt polyester cloth	20	288
SA48104	4"x24"	100x610	180# 240#		12	192	
SA48105	4"x36"	100x915	320#		12	192	
SA48106	6"x48"	150x1219	400#		6	72	



# **Ceramic Sanding Belt**

- 1. Ultra strong and long using time.
- Best for non ferrous metals (aluminum, titanium, brass, Bronze, copper).
   Also great for ferrous metal (Steel, Stainless Steel, Cast Iron, Carbon Steel, hard alloy)

Belt Connecti	on
Overlap	Butt

Item No.	Si	ze	Grit	Backing	Pcs/Pack	Pcs/Carton
ileiii No.	Inch	mm	Gill	Dacking	FUS/FAUR	PG5/Carton
SA48200	1"x30"	25x762	24# 36# 40#	X,	24	600
SA48201	2"x72"	50x1829	60# 80# 120#	60# 80# 120# Y-wt polyester cloth	10	100

# **Sanding Belt**



# Silicon Carbide Sanding Belt

- 1. For sanding of glass, stone, granite, cement, composites, plastics and light metal.
- 2. Waterproof material. can be run wet or dry.

Belt Connecti	on
Overlan	Dutt

Item No.	Si	ze	Grit Range	Backing	Pcs/Pack	Pcs/Carton
ileiti No.	Inch	mm	Gill Range	Dacking	FG5/Fack	FG/Carton
SA48300	1"x30"	25x762	40#		24	600
SA48301	3/8"x13"	10x330	60#		24	600
SA48302	6"x51"	150x1300	80#	v	24	600
SA48303	3"x18"	75x457	120# 150#	X,	24	240
SA48304	3"x21"	75x533	180#	Y-wt polyester cloth	20	288
SA48305	4"x24"	100x610	240#		12	192
SA48306	4"x36"	100x915	320#		12	192
SA48307	6"x48"	150x1219	400#		6	72



# Non woven Sanding Belt

Coarse grit - Brown color Medium grit - Maroon color Fine grit - Blue color Application:for deburring, cleaning, blending, and finishing of contours, edges, and irregular surfaces



Item No.	Si	ze	Grit Backing Pcs/Pack		Pcs/Carton		
item No.	Inch	mm	Grit	Dacking	FUS/FAUK	PCS/Carton	
SA48230	1/2"x18"	13x457	"Coarse Medium	Non-woven cloth	Assorted	Assorted	
SA48231	3/8"x13"	10x330			24	600	
SA48232	1.5"x12"	40x305	Fine"		10	100	



# Floor Sanding Belt

- Extra heavy X-weight cloth backing
   Finger joint to prevent contains.
- 2. Finger joint to prevent scratches

٠	en connect	
	5	
Į		
	inger	

Itom No	Item No. Material	Dimension		Crit Panga	Pcs/Pack	Pcs/Carton	
item No.	ivialeriai	Inch	mm	Grit Range	FUS/FAUK	PCS/Carton	
SA48250	Zirconia Alumina	8"x30"	200x750				
3A40230	Zirconia Alumina	10"x30"	250x750	24# 36# 60# 80# 120#	10	50	
SA48251	Aluminum Oxide	8"x30"	200x750				
3A40231	Aluminum Oxide	10"x30"	250x750				
SA48252	Silicon Carbide	8"x30"	200x750				
57.40202	Cincon Garbide	10"x30"	250x750				







# **Sanding Sleeve**



# **Aluminum Oxide Sanding Sleeves**

- 1. Fit directly over the rubber sanding drum with metal shaft
- 2. For woodworking projects, and used for sanding, resurfacing, abrading and polishing some metals and most soft and hard woods

Item No.	Dime	ension	Grit Range	Backing	Pcs/Carton	
ileiii No.	Inner Dia	length	Gill Range	Dacking	F CS/CallOH	
SA73810	1/4"					
SA73811	3/8"	1/2"	40#			
SA73812	1/2"	1" 1-1/2'	60# 80#			
SA73813	3/4"	2"	120#	X-wt polyester cloth	As assorted	
SA73814	1"	2-3/4"	150#	X-wt polyester cloth	As assorted	
SA73815	1-1/2"	3"	180#			
SA73816	2"	4.5"	240#			
SA73817	2-1/2"					





# **Zirconia Sanding Sleeves**

- 1. Made with premium zirconium oxide grains and adhered to cloth backing
- 2. For deburring, sanding, blending, polishing, or grinding to remove parting lines
- 3. Fit with rubber expanding drum and attached to die grinder or rotary drill

Item No.	Dime	nsion	Grit Range	Backing	Pcs/Carton	
ILCITI INO.	Inner Dia	length	Gill Nailye	Dacking	r G/Carton	
SA74810	1/4"					
SA74811	3/8"	1/2"	40#			
SA74812	1/2"	1'' 1-1/2'	60# 80#			
SA74813	3/4"	2"	120#	X-wt polyester cloth	As assorted	
SA74814	1"	2-3/4"	150#	A-wt polyester cloth	As assurted	
SA74815	1-1/2"	3"	180#			
SA74816	2"	4.5"	240#			
SA74817	2-1/2"					

# **Sanding Sleeve**



# **Ceramic Sanding Sleeves**

- 1. Ceramic self-sharpness makes work faster than other abrasives.and keeps the surface cooler.
- 2. Especially use for hardened surfaces, tinder, hard coatings and armoured welded seams
- 3. Clearing the toughest materials efficiently

Item No.	Dime	ension	Grit Range	Backing	Pcs/Carton	
ileiii No.	Inner Dia	length	Gill Nailye	Dacking		
SA75810	1/4"					
SA75811	3/8"	1/2"	40#			
SA75812	1/2"	1" 1-1/2'	60# 80#			
SA75813	3/4"	1-1/2" 2"	80# 120#	X-wt polyester cloth	As assorted	
SA75814	1"	2-3/4"	150#	X-wt polyester cloth	As assorted	
SA75815	1-1/2"	3"	180#			
SA75816	2"	4.5"	240#			
SA75817	2-1/2"					

# **Rubber Drum for Sanding Sleeve**



# **Rubber Expanding Drum**

- 1.Attached with spiral band with 1/4" mandrel
- Expanding drum for spiral bands expands when rotated to hold a sleeve in place without using adhesive or clamps
- 3.Used on a die grinder or rotary drill

Outer D	iameter	Longth	May D DM	Max R.P.M Material	Pcs/Carton
Inch	mm	Lengur	IVIAX IX.I .IVI		FGS/Carton
1/2"	13		2000		
3/4"	19		2000		
1"	25	"4.5" (115mm)	2000	soft	As assorted
1-1/2"	38	4.5 (11511111)	2000	rubber	As assorted
2"	50		2000		
3"	75		2000		
	Inch 1/2" 3/4" 1" 1-1/2" 2"	1/2" 13 3/4" 19 1" 25 1-1/2" 38 2" 50	Inch mm  1/2" 13  3/4" 19  1" 25  1-1/2" 38  2" 50	Inch         mm         Length         Max R.P.M           1/2"         13         2000           3/4"         19         2000           1"         25         2000           1-1/2"         38         2000           2"         50         2000	Inch         mm         Length         Max R.P.M         Material           1/2"         13         2000           3/4"         19         2000           1"         25         2000           1-1/2"         38         2000           2"         50         2000    rubber







- •Enhance your DIY or professional projects with our versatile Power Tool Accessories.
- •Ideal for drilling, grinding, and polishing, these accessories offer unmatched durability.
- •Our Mounted Stones excel in precision tasks and are perfect for metal and woodwork.





# **Fiber Disc**



### **Aluminum oxide Resin Fiber Disc**

- 1. For use with right angle die grinders and backing plate
- $2. \ General \ purpose \ stock \ removal, \ deburring, \ weld \ removal, \ blending, \ paint \ removal, \ rust \ removal, \ metalworking$
- 3. Aluminum oxide grain, full resin bonded
- 4. Strong vulcanized fibre backing

Item No.	Dime	nsion	Grit Range	Holes	Backing	Pcs/Box
ileiii No.	Inch	mm	Gill Nange	1 10165	Dacking	F CS/DOX
SA38000	4"x7/8"	100x16			and and an electrical filters	100
SA38001	4.5"x7/8"	115x22	"16#,24#,36#,40#, 60#,80#,120#"	*	vulcanized fibre backing 0.7/0.8/1.2mm	100
SA38002	5"x7/8"	125x22				100
SA38003	7"x7/8"	180x22				100



### Zirconia Resin Fiber Disc

- 1. For use with right angle die grinders and backing plate
- 2. Full resin bonded + Strong vulcanized fibre backing
- 3. Suitable for grinding and polishing metal, Non-metallic, wood, rubber, leather, plastics, stone, glass and other hard materials.

Item No.		nsion	Grit Range	Holes	Backing	Pcs/Box
ileiii No.	Inch mm	1 10103	Dacking	F C5/DOX		
SA38010	4"x7/8"	100x16			vulcanized fibre	100
SA38011	4.5"x7/8"	115x22	"16#,24#,36#,40#,	<b>O +</b>	backing 0.7/0.8/1.2mm	100
SA38012	5"x7/8"	125x22	60#,80#,120#"			100
SA38013	7"x7/8"	180x22				100



### Silicon Carbide Resin Fiber Disc

- 1. For use with right angle die grinders and backing plate
- 2. Full resin bonded + Strong vulcanized fibre backing
- 3. Suitable for grinding and polishing metal, Non-metallic, wood, rubber, leather, plastics, stone, glass and other materials.

Item No.	Dime	nsion	Crit Danga	Holes	Backing	Pcs/Box
item No.	Inch	mm	Grit Range	Holes	Dacking	PCS/DUX
SA38020	4"x7/8"	100x16				100
SA38021	4.5"x7/8"	115x22	"16#,24#,36#,40#,	"16#,24#,36#,40#, vulcanized fibre	100	
SA38022	5"x7/8"	125x22	60#,80#,120#"	0.7/0.8/1.2mm	100	
SA38023	7"x7/8"	180x22				100



### **Ceramic Resin Fiber Disc**

- 1. For use with right angle die grinders and backing plate
- Full resin bonded + Strong vulcanized fibre backing
- 3. Suitable for grinding and polishing hard heat alloy, steel, carbon steel and other hard material

Item No.	Dime	nsion	Grit Range	Holes	Backing	Pcs/Box
ileiti No.	Inch	mm	Gill Natige	Tioles	Dacking	F C5/BOX
SA38030	4"x7/8"	100x16			la a ula a d fila a a	100
SA38031	4.5"x7/8"	115x22	"16#,24#,36#,40#,	*	vulcanized fibre backing	100
SA38032	5"x7/8"	125x22	60#,80#,120#"	#,80#,120#"	0.7/0.8/1.2mm	100
SA38033	7"x7/8"	180x22				100





# **Roloc Disc and Holder**



# **Aluminum oxide Quick Change Roloc Disc**

- 1. Aluminum oxide abrasive combines fast cut with long using life.
- 2. Easy to change and reuse.
- 3. For generou purpose such as metal, Non ferrous metal, plastic, wood etc.

Item No.	Dime	nsion	Grit Range	Backing	Doc/Pog
ileiii No.	Inch	mm	Gill Range	Backing	Pcs/Bag
SA11010	2"	50	"24# 36# 40# 60# 80# 100#	-	100
SA11011	3"	75	120# 150# 180# 240# 320#"		50





# Zirconia Quick Change Roloc Disc

- 1. With a Male R-Type backing pad, easy to change .
- 2. Zirconia material provide a very good cut rate to cost ratio.
- 3. Used for carbon/mild steel applications, stainless steel, aluminum and other alloys.

Item No.	Dimension		Crit Pango	Dooking	Doc/Pag
ilem No.	Inch	mm	Grit Range	Backing	Pcs/Bag
SA11020	2"	50	" 36# 40# 60#	-	100
SA11021	3"	75	80# 120# "		50



### **Zirconia Quick Change Roloc Disc**

- 1. With a Male R-Type backing pad, easy to change.
- 2. Top quality zirconia roloc discs lasts longer than common zirconia roloc disc.
- Used for carbon steel, cast iron, titanium, aluminum, brass, bronze, copper or hard woods and can also be used on stainless steel, cobalt alloys and nickel alloys.

Item No.	Dime	nsion	Grit Range	Pooking	Doc/Pog
item No.	Inch	mm	Gill Range	Backing	Pcs/Bag
SA11040	2"	50	" 36# 40# 60#	-	100
SA11041	3"	75	80# 120# "		50



# **Ceramic Quick Change Roloc Disc**

- 1. With a Male R-Type backing pad, easy to change.
- The ceramic grains are ideal for cool and rapid stock removal on heat-sensitive metals.
- 3. Used for stainless steel,cast iron, aluminum, high nickel alloys, and titanium etc.

Item No.	Dime	nsion	Grit Range	Backing	Pcs/Bag
item No.	Inch mm		Gill Nailye	Backing	rts/bay
SA11050	2"	50	" 36# 40# 60#	9	100
SA11051	3"	75	80# 120# "		50

# **Roloc Disc and Holder**



### Non-woven Quick Change Roloc Disc

- 1. Long Lasting Premium Quality Sanding Grains
- 2. Universal Male Type-R Connection
- 3. Used for Stainless steel, steel, non-ferrous materials and alloys, plastic etc.
- 4. Popular for welding and autobody work finishing and prep.

Item No.	Dime	ension	Grit Range	Backing	Doo/Pog
item No.	Inch	mm	Gill Range	Backing	Pcs/Bag
SA11030	2"	50	"Coarse-Brown Medium-Maroon	2	100
SA11030	3"	75	Fine-Blue"		50



## **Wool Felt Quick Change Disc**

- 1. 100% natural compressed wool
- 2. Universal Male Type-R Connection
- 3. Used for wide variety of surfaces stainless steel & other metals, wood, chrome, synthetics & more

Item No.	Dime	nsion	Grit Range	Backing	Pcs/Bag
item No.	Inch	mm	Gill Range	Backing	
SA11060	2"	50	N/A	2	100
SA11061	3"	75	NA		50



### **Roll Lock Nylon Polishing Wheel**

- ${\bf 1. \, These \, wheels \, easily \, remove \, welding \, or \, cutting \, discoloration \, on \, stainless \, steel.}$
- 2. Used with high-speed power tools such as die grinders and hand-held pneumatic grinders.
- 3. Universal Male Type-R Connection
- 4. Red-Aluminum Oxide Grey-Silicon Carbide

Item No.	Dime	nsion	Grit	Backing	Doo/Pag
item No.	Inch	mm	Gill	Backing	Pcs/Bag
SA11080	2"	50	Red-Fine	8	100
SA11081	3"	75	Grey-Ultra Fine		50



# Type-R Pad Holder for Quick Change Disc

- The disc holders are constructed with rubber pads and a high-quality mandrel.
- Use with die grinders, hand-held pneumatic grinders, or right angle grinders for holding the quick change discs.


Item No.	Dime	nsion	Max R.P.M	Shank	Pcs/Bag
ileiti No.	Inch	mm	IVIAX IN.F.IVI	SHALIK	F C5/Day
SA11070	2"	50	2500	"6mm round shank	100
SA11071	3"	75	3000	6.35mm Hex shank"	50





# **Mounted Stone**





# **Knife Sharpener**



# **Knife Sharpener**

- 1. Made of quality corundum
- 2. For sharpening lawn blade, drill blade, mower, sickle bar cutter, rototillers.
- 3. Fit for most of power drills

Itom No	Item No. Size Shank "Plastic Part		"Plastic Part	Pcs/Box	Pcs/Carton	
ileiii No.	Inch	mm	Snank	Color"	FCS/DUX	FCS/Carton
SA23101	2" x 1.85"	50 x 47	1/4" (6mm)	Black Blue Green	1 /2 /3 /4	200



### **Double Layer Corundum Lawn Mower Blade Sharpener**

- 1. Made of double layer corundum
- 2. With hexagon Shank
- 3. Using for sharpening lawn blade, lawn tractors, mower, rototillers, drill blade, sickle bar cutter etc.
- 4. Fit for most of power drills

Item No.	Si	ize	Shank	"Plastic Part	Pcs/Box	Pcs/Carton
item No.	Inch mm		SHAHK	Color"	PCS/DUX	PG5/Gallott
SA23102	2.3" x 2.5"	58 x 63	1/4" (6mm)	Black Blue Green	1 /2 /3 /4	100



### 4 Layers Knife Sharpener

- 1. White Corundum with Chrome Corundum
- 2. 1/4" Hexagon Shank,
- 3. Fit for most of power drills

Item No.	Si	ze	Shank	"Plastic Part	Pcs/Box	Pcs/Carton
item No.	Inch	mm	Snank	Color"		
SA23103	3.2"x 2.2"	81 x 56	1/4" (6mm)	Black Blue Green	1 /2 /3 /4	100



# **Balancer for Knife Sharpener**

- 1. Made of ABS, the thickness is about 2mm
- 2. Non-toxic, impact resistant, sturdy and durable
- 3. For test the balance of mower cutter

Item No.	Material	Thickness	Color	Pcs/Carton
SA23104	ABS	2mm	Black	As assorted



# Abrasive Tools



# Flap Wheel with Shank



### **Aluminum Oxide Flap Wheel**

Application: used for grinding spots,burrs and weld seams of plates, also for polishing small parts and all kinds of internal bore,arc and curved surface.

Coordonation of straight polishing machine and drill.

Item No.	Size(mm)	Shank(mm)	Grit	Material	Pcs/Carton
SA10601	30x10			500	
SA10602	30x15		40 60 80 100 120 150 180 240		500
SA10603	40x10				500
SA10604	40x15				500
SA10605	40x20				500
SA10606	50x20				500
SA10607	50x30	3mm or 6mm		Aluminium Oxide	500
SA10608	60x20			Aluminium Oxide	200
SA10609	60x30				200
SA10610	60x40				200
SA10611	60x50				200
SA10612	80x30			100	
SA10613	80x40				100
SA10614	80x50				100



### Non-Woven Flap Wheel

Application: Used for cleaning,polishing,deburring on surface of stainless steel,metal,wood,plastic,stone etc. Quick dissipating heat, no blockage.

Item No.	Size(mm)	Shank(mm)	Grit	Material	Pcs/Carton
SA10615	30x10	6	80	Non-woven cloth	500
SA10616	30x20	6			500
SA10617	40x20	6			500
SA10618	50x20	6			200
SA10619	50x30	6			200
SA10620	60x30	6			200
SA10621	60x40	6			200
SA10622	80x30	6			100
SA10623	80x50	6			100
SA10624	100x50	6			100

# **Rubber Eraser Wheel**



### **Decal Eraser Wheel with Adapter**

- 1. To remove any vinyl,decal, graphic from cars, windows, signs, metal haul boats & trucks
- 2. Fit with electric drill with maximum 4,000 RPM,
- 3. Work best between 1,500 to 3,000 R.P.M
- 4. Kit includes electric drill adapter arbor for easy installation on any home power or pneumatic drill

Item No.	Size		Shank	Thread Arbor	Material	Pcs/Carton
item No.	Inch	mm	SHAHK	Size	ivialciiai	FG5/Carton
SA33010	3.5" x 0.6"	88x15	1/4" (6mm)	5/16" - 24	Soft Rubber	60
SA33011	4" x 0.6"	100x15	774 (OHIIII)	0,10 - 24	CON NUMBER	60



# Slotted Edge Rubber Eraser Wheel

- 1. Alternating slotted tooth wheel adge design allows it to dissipate the heat better and enabling the wheel to remove material from substrates easier, faster and safer.
- 2. Fit with electric drill with maximum 4,000 RPM,work best between 1,500 to 3,000 R.P.M
- 3. Kit includes electric drill adapter arbor for easy installation on any home power or pneumatic drill

Item No.	Size		Shank	Thread Arbor	Material	Pcs/Carton
	Inch	mm	SHALIK	Size	ivialcriai	FG5/Carton
SA33012	4"x1"	100x25	1/4" (6mm)	5/16" - 24	Soft Rubber	60



### **Grinder use Hollow Serrated Rubber Eraser Wheel**

- 1. Grooved design is to maximize air flow, making it efficient.
- 2. Apply to multiple paint, chrome, windows, and metal surfaces.erase off the vinyl decals, graphics, adhesives, pinstriping, and stickers from car body, trucks, RV's, boats and glasses.
- 3. Fit with angle grinder with maximum 4,000 RPM,work best between 1,500 to 3,000 R.P.M
- 4. Without drill adapte

Item No.	S	Size		Material	Pcs/Carton	
item No.	Inch	mm	Inner Diameter	ivialciiai	F C5/Carton	
SA33013	4 " x 1.2"	100x30	2" (50mm)	Soft Rubber	60	