




Main Catalogue

XTANCHOR SINCE 2005
Fixing Anchor Factory

Growing with customers is our unremitting pursuit.



XTANCHOR

YUYAO XINTAI HARDWARE CO.,LTD.

www.xtanchor.com

QUALITY
for our survival

INNOVATION
for our development

CUSTOMERS
as our focus

WIN-WIN
as our goal

2005
Since

ISO9001
certification

9000m²
factory

120
employees

7 kinds
of testing
equipment

90
production
machines

50
containers
per month

40+
categories


\$15,000,000
turnover

60+
exporting
countries


600+
customers


2
branch
offices

Enterprise development history




Certificates and Honors





*Production
Machines*



XTANOR Testing Equipments



Pull out in concrete



Tensile strength



Hardness



Special angle



Coating thickness



Salt spray test



Surface roughness



Small white box



Color box



Cutcase



Barcode label

Product packaging



Plastic bucket



Jar










Plastic tub



PVC box

CONTENTS

www.xtanchor.com



Description	Photo	Page	Stone Concrete	Solid Block	Semisolid Brick	Hollow Brick	Hollow Brick Concrete	Plaster board	Light Concrete
Wedge Anchor Metric		01	●						
Wedge Anchor Inch		02	●						
Concrete Screw Anchor		03	●	●					
Chemical Anchor		04	●						
Conical Stud		05	●						
Flange Nut Sleeve Anchor		06	●	●	*				
Hex Bolt Sleeve Anchor		07	●	●	*				
Hex Nut Sleeve Anchor		08	●	●	*				
Open/Eye Hook Sleeve Anchor		09	●	●	*				
Sleeve Anchor With Plastic Ring		10	●	●	*				
Tam Anchor		11	●	*					
Two Pieces Heavy Duty Anchor		12	●	*					
Three Pieces Heavy Duty Anchor		13	●	*					
Fix Bolt		14	●	*					
Split Drive Anchor		15	●						
Tie Wire Anchor		16	●	●					
Hollow Wall Anchor		17				*	●	●	
Drop In Anchor		18	●						

Wedge Anchor Metric

Material: Mild steel, C1035, 45# steel, SS304, SS316.

XTANCHOR

Fixing Anchor Factory






Code	Size	d ₀ mm	h _{nom} mm	t _{fix} mm	sw mm
1001AA060045	M6X45	6	31	5	10
1001AA060050	M6X50	6	31	10	10
1001AA060055	M6X55	6	41	5	10
1001AA060060	M6X60	6	41	10	10
1001AA060065	M6X65	6	41	15	10
1001AA060070	M6X70	6	41	20	10
1001AA060080	M6X80	6	41	30	10
1001AA060090	M6X90	6	41	40	10
1001AA080050	M8X50	8	33	5	13
1001AA080060	M8X60	8	33	15	13
1001AA080065	M8X65	8	48	5	13
1001AA080080	M8X80	8	48	20	13
1001AA080090	M8X90	8	48	30	13
1001AA080100	M8X100	8	48	40	13
1001AA080120	M8X120	8	48	60	13
1001AA080140	M8X140	8	48	80	13
1001AA080160	M8X160	8	48	100	13
1001AA100060	M10X60	10	44	5	17
1001AA100070	M10X70	10	44	15	17
1001AA100075	M10X75	10	59	5	17
1001AA100080	M10X80	10	59	10	17
1001AA100090	M10X90	10	59	20	17
1001AA100100	M10X100	10	59	30	17
1001AA100120	M10X120	10	59	50	17
1001AA100140	M10X140	10	59	70	17
1001AA100160	M10X160	10	59	90	17
1001AA100180	M10X180	10	59	110	17
1001AA100200	M10X200	10	59	130	17
1001AA100220	M10X220	10	59	150	17
1001AA120075	M12X75	12	51	5	19
1001AA120080	M12X80	12	51	10	19
1001AA120090	M12X90	12	51	20	19
1001AA120100	M12X100	12	71	10	19
1001AA120120	M12X120	12	71	30	19
1001AA120140	M12X140	12	71	50	19
1001AA120150	M12X150	12	71	60	19
1001AA120160	M12X160	12	71	70	19
1001AA120180	M12X180	12	71	90	19
1001AA120200	M12X200	12	71	110	19
1001AA120220	M12X220	12	71	130	19
1001AA160080	M16X80	16	56	5	24
1001AA160100	M16X100	16	56	25	24
1001AA160120	M16X120	16	56	45	24
1001AA160125	M16X125	16	96	10	24
1001AA160140	M16X140	16	96	25	24
1001AA160180	M16X180	16	96	65	24
1001AA160200	M16X200	16	96	85	24
1001AA160220	M16X220	16	96	105	24
1001AA200100	M20X100	20	75	5	30
1001AA200125	M20X125	20	75	30	30
1001AA200140	M20X140	20	115	5	30
1001AA200160	M20X160	20	115	25	30
1001AA200180	M20X180	20	115	45	30
1001AA200200	M20X200	20	115	65	30
1001AA200220	M20X220	20	115	85	30

Wedge Anchor Inch

Material: Mild steel, C1035, 45# steel, SS304, SS316.

XTANCHOR

Fixing Anchor Factory




Code	Size	d ₀ in	h _{nom} in	t _{fix} in	SW in
1002BD140134	1/4X1-3/4	1/4"	1-1/4"	1/8"	7/16"
1002BD140200	1/4X2	1/4"	1-1/4"	3/8"	7/16"
1002BD140214	1/4X2-1/4	1/4"	1-5/8"	1/4"	7/16"
1002BD140212	1/4X2-1/2	1/4"	1-5/8"	1/2"	7/16"
1002BD140234	1/4X2-3/4	1/4"	1-5/8"	3/4"	7/16"
1002BD140300	1/4X3	1/4"	1-5/8"	1"	7/16"
1002BD140314	1/4X3-1/4	1/4"	1-5/8"	1-1/4"	7/16"
1002BD140334	1/4X3-3/4	1/4"	1-5/8"	1-3/4"	7/16"
1002BD140412	1/4X4-1/2	1/4"	1-5/8"	2-1/2"	7/16"
1002BD140500	1/4X5	1/4"	1-5/8"	3"	7/16"
1002AA380214	3/8X2-1/4	3/8"	1-5/8"	1/8"	9/16"
1002AA380234	3/8X2-3/4	3/8"	1-5/8"	5/8"	9/16"
1002AA380300	3/8X3	3/8"	2-3/8"	1/8"	9/16"
1002AA380312	3/8X3-1/2	3/8"	2-3/8"	5/8"	9/16"
1002AA380334	3/8X3-3/4	3/8"	2-3/8"	1-1/8"	9/16"
1002AA380400	3/8X4	3/8"	2-3/8"	1-3/8"	9/16"
1002AA380412	3/8X4-1/2	3/8"	2-3/8"	1-7/8"	9/16"
1002AA380500	3/8X5	3/8"	2-3/8"	2-3/8"	9/16"
1002AA380600	3/8X6	3/8"	2-3/8"	3-3/8"	9/16"
1002AA380612	3/8X6-1/2	3/8"	2-3/8"	3-7/8"	9/16"
1002AA380700	3/8X7	3/8"	2-3/8"	4-3/8"	9/16"
1002AA120234	1/2X2-3/4	1/2"	2"	1/8"	3/4"
1002AA120300	1/2X3	1/2"	2"	3/8"	3/4"
1002AA120314	1/2X3-1/4	1/2"	2"	5/8"	3/4"
1002AA120312	1/2X3-1/2	1/2"	2"	7/8"	3/4"
1002AA120334	1/2X3-3/4	1/2"	2"	1-1/8"	3/4"
1002AA120400	1/2X4	1/2"	3"	3/8"	3/4"
1002AA120414	1/2X4-1/4	1/2"	3"	5/8"	3/4"
1002AA120412	1/2X4-1/2	1/2"	3"	7/8"	3/4"
1002AA120434	1/2X4-3/4	1/2"	3"	1-1/8"	3/4"
1002AA120500	1/2X5	1/2"	3"	1-3/8"	3/4"
1002AA120512	1/2X5-1/2	1/2"	3"	1-7/8"	3/4"
1002AA120600	1/2X6	1/2"	3"	2-3/8"	3/4"
1002AA120700	1/2X7	1/2"	3"	3-3/8"	3/4"
1002AA120812	1/2X8-1/2	1/2"	3"	4-7/8"	3/4"
1002AA580312	5/8X3-1/2	5/8"	2-9/16"	3/16"	15/16"
1002AA580400	5/8X4	5/8"	2-9/16"	11/16"	15/16"
1002AA580414	5/8X4-1/4	5/8"	2-9/16"	15/16"	15/16"
1002AA580412	5/8X4-1/2	5/8"	2-9/16"	1-3/16"	15/16"
1002AA580500	5/8X5	5/8"	4-1/16"	3/16"	15/16"
1002AA580512	5/8X5-1/2	5/8"	4-1/16"	11/16"	15/16"
1002AA580600	5/8X6	5/8"	4-1/16"	1-3/16"	15/16"
1002AA580700	5/8X7	5/8"	4-1/16"	2-3/16"	15/16"
1002AA580800	5/8X8	5/8"	4-1/16"	3-3/16"	15/16"
1002AA580812	5/8X8-1/2	5/8"	4-1/16"	3-11/16"	15/16"
1002AA340414	3/4X4-1/4	3/4"	3"	3/8"	1-1/8"
1002AA340434	3/4X4-3/4	3/4"	3"	7/8"	1-1/8"
1002AA340512	3/4X5-1/2	3/4"	3"	1-5/8"	1-1/8"
1002AA340600	3/4X6	3/4"	4-5/8"	1/2"	1-1/8"
1002AA340614	3/4X6-1/4	3/4"	4-5/8"	3/4"	1-1/8"
1002AA340700	3/4X7	3/4"	4-5/8"	1-1/2"	1-1/8"
1002AA340800	3/4X8	3/4"	4-5/8"	2-1/2"	1-1/8"
1002AA340812	3/4X8-1/2	3/4"	4-5/8"	3"	1-1/8"

Concrete Screw Anchor

Material: 10B21

XTANCHOR

Fixing Anchor Factory




Code	Size	d ₀ mm	h _{nom} mm	t _{fix} mm	SW mm
19901F060030	6X30	6	25	25	10
19901F060050	6X50	6	25	25	10
19901F060060	6X60	6	50	50	10
19901F060075	6X75	6	50	50	10
19901F060100	6X100	6	50	50	10
19901F080050	8X50	8	45	45	13
19901F080060	8X60	8	45	45	13
19901F080075	8X75	8	65	65	13
19901F080080	8X80	8	65	65	13
19901F080100	8X100	8	65	65	13
19901F100060	10X60	10	55	55	15
19901F100075	10X75	10	55	55	15
19901F100100	10X100	10	55	55	15
19901F100120	10X120	10	75	75	15
19901F100140	10X140	10	75	75	15
19901F120075	12X75	12	70	70	16
19901F120100	12X100	12	90	90	16
19901F120150	12X150	12	90	90	16
19901F160100	16X100	16	90	90	21
19901F160150	16X150	16	90	90	21

Chemical Anchor


Material: C1035,45# steel,SS304,SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm	t _{fix} mm	Hex Drive mm
1008BC080110	M8X110	10	80	15	5
1008BC100130	M10X130	12	90	20	7
1008BC100165	M10X165	12	90	55	7
1008BC100190	M10X190	12	90	80	7
1008BC120160	M12X160	14	110	25	8
1008BC120250	M12X250	14	110	115	8
1008BC160165	M16X165	18	125	15	12
1008BC160190	M16X190	18	125	40	12
1008BC200260	M20X260	22	170	60	12
1008BC200300	M20X300	22	170	100	12
1008BC240300	M24X300	28	210	60	13
1008BC300380	M30X380	35	280	60	13





Conical Stud

Material: 35K,40Cr,SS304,SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm	t _{fix} mm
1402SE120120	M12X80X120	14	80	25
1402SE120140	M12X110X140	14	110	15
1402SE120160	M12X110X160	14	110	35
1402SE160190	M16X125X190	18	125	45
1402SE160205	M16X125X205	18	125	60
1402SE160210	M16X125X210	18	125	65
1402SE160215	M16X125X215	18	125	70
1402SE160225	M16X125X225	18	125	80
1402SE160235	M16X125X235	18	125	90
1402SE160275	M16X125X275	18	125	130
1402SE200260	M20X170X260	24	170	65
1402SE200270	M20X170X270	24	170	75
1402SE200280	M20X170X280	24	170	85
1402SE200290	M20X170X290	24	170	95
1402SE200300	M20X170X300	24	170	105
1402SE200320	M20X170X320	24	170	125
1402SE200330	M20X170X330	24	170	135
1402SE200350	M20X170X350	24	170	155
1402SE200400	M20X170X400	24	170	205
1402SE200450	M20X170X450	24	170	255
1402SE200500	M20X170X500	24	170	305
1402SE200550	M20X170X550	24	170	355
1402SE200600	M20X170X600	24	170	405
1402SE200640	M20X170X640	24	170	445
1402SE200650	M20X170X650	24	170	455
1402SE200690	M20X170X690	24	170	495
1402SE240350	M24X220X350	28	220	100
1402SE240370	M24X220X370	28	220	120
1402SE240400	M24X220X400	28	220	150
1402SE240450	M24X220X450	28	220	200

Flange Nut Sleeve Anchor


Material: Carbon steel,SS304,SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm	t _{fix} mm	SW mm
1101AA065025	M5X6.5X25	6.5	22	4	8
1101AA065036	M5X6.5X36	6.5	22	15	8
1101AA065056	M5X6.5X56	6.5	22	35	8
1101AA065075	M5X6.5X75	6.5	22	54	8
1101AA080040	M6X8X40	8	29	7	10
1101AA080065	M6X8X65	8	29	33	10
1101AA080085	M6X8X85	8	29	53	10
1101AA080100	M6X8X100	8	29	68	10
1101AA080120	M6X8X120	8	29	88	10
1101AA100040	M8X10X40	10	36	2	13
1101AA100050	M8X10X50	10	36	12	13
1101AA100060	M8X10X60	10	36	22	13
1101AA100077	M8X10X77	10	36	39	13
1101AA100097	M8X10X97	10	36	59	13
1101AA100120	M8X10X120	10	36	82	13
1101AA100125	M8X10X125	10	36	86	13
1101AA100130	M8X10X130	10	36	92	13
1101AA100150	M8X10X150	10	36	112	13
1101AA100180	M8X10X180	10	36	144	13
1101AA100200	M8X10X200	10	36	167	13
1101AA120060	M10X12X60	12	46	10	15
1101AA120075	M10X12X75	12	46	25	15
1101AA120099	M10X12X99	12	46	49	15
1101AA120120	M10X12X120	12	46	69	15
1101AA120129	M10X12X129	12	46	79	15
1101AA120150	M10X12X150	12	46	100	15
1101AA160065	M12X16X65	16	54	8	18
1101AA160085	M12X16X85	16	54	28	18
1101AA160111	M12X16X111	16	54	53	18
1101AA160147	M12X16X147	16	54	90	18
1101AA200075	M16X20X75	20	60	11	24
1101AA200107	M16X20X107	20	60	43	24
1101AA200151	M16X20X151	20	60	85	24



Hex Bolt Sleeve Anchor



Material: Carbon steel,SS304,SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm	t _{fix} mm	sw mm
1114AA080045	M6X8X45	8	36	5	10
1114AA080060	M6X8X60	8	36	20	10
1114AA080080	M6X8X80	8	36	40	10
1114AA080090	M6X8X90	8	36	50	10
1114AA100060	M8X10X60	10	50	5	13
1114AA100080	M8X10X80	10	50	25	13
1114AA100085	M8X10X85	10	50	30	13
1114AA120065	M10X12X65	12	55	5	17
1114AA120080	M10X12X80	12	55	20	17
1114AA120100	M10X12X100	12	55	40	17
1114AA120120	M10X12X120	12	55	60	17
1114AA160075	M12X16X75	16	65	5	19
1114AA160090	M12X16X90	16	65	20	19
1114AA160100	M12X16X100	16	65	30	19
1114AA160120	M12X16X120	16	65	50	19
1114AA160145	M12X16X145	16	65	75	19




Hex Nut Sleeve Anchor

Material: Carbon steel,SS304,SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ in	h _{nom} in	t _{fix} in	SW in
1107AA140138	1/4X1-3/8	1/4"	7/8"	9/16"	3/8"
1107AA140214	1/4X2-1/4	1/4"	7/8"	1-3/8"	3/8"
1107AA140212	1/4X2-1/2	1/4"	7/8"	1-5/8"	3/8"
1107AA560112	5/16X1-1/2	5/16"	1-1/8"	5/16"	7/16"
1107AA560178	5/16X1-7/8	5/16"	1-1/8"	5/8"	7/16"
1107AA560212	5/16X2-1/2	5/16"	1-1/8"	1-5/16"	7/16"
1107AA560300	5/16X3	5/16"	1-1/8"	1-13/16"	7/16"
1107AA560312	5/16X3-1/2	5/16"	1-1/8"	2-5/16"	7/16"
1107AA380178	3/8X1-7/8	3/8"	1-1/2"	3/8"	1/2"
1107AA380212	3/8X2-1/2	3/8"	1-1/2"	1"	1/2"
1107AA380300	3/8X3	3/8"	1-1/2"	1-1/2"	1/2"
1107AA380312	3/8X3-1/2	3/8"	1-1/2"	2"	1/2"
1107AA380400	3/8X4	3/8"	1-1/2"	2-1/2"	1/2"
1107AA120214	1/2X2-1/4	1/2"	1-3/4"	3/8"	9/16"
1107AA120234	1/2X2-3/4	1/2"	1-3/4"	7/8"	9/16"
1107AA120300	1/2X3	1/2"	1-3/4"	1-1/8"	9/16"
1107AA120312	1/2X3-1/2	1/2"	1-3/4"	1-5/8"	9/16"
1107AA120400	1/2X4	1/2"	1-3/4"	2-1/8"	9/16"
1107AA120500	1/2X5	1/2"	1-3/4"	3"	9/16"
1107AA120600	1/2X6	1/2"	1-3/4"	4"	9/16"
1107AA580214	5/8X2-1/4	5/8"	2-1/8"	1/8"	3/4"
1107AA580212	5/8X2-1/2	5/8"	2-1/8"	3/8"	3/4"
1107AA580300	5/8X3	5/8"	2-1/8"	13/16"	3/4"
1107AA580414	5/8X4-1/4	5/8"	2-1/8"	2-3/16"	3/4"
1107AA580412	5/8X4-1/2	5/8"	2-1/8"	2-3/8"	3/4"
1107AA580500	5/8X5	5/8"	2-1/8"	2-7/8"	3/4"
1107AA580534	5/8X5-3/4	5/8"	2-1/8"	3-5/8"	3/4"
1107AA580600	5/8X6	5/8"	2-1/8"	3-7/8"	3/4"
1107AA340212	3/4X2-1/2	3/4"	2-3/8"	1/8"	15/16"
1107AA340414	3/4X4-1/4	3/4"	2-3/8"	1-7/8"	15/16"
1107AA340514	3/4X5-1/4	3/4"	2-3/8"	2-7/8"	15/16"
1107AA340512	3/4X5-1/2	3/4"	2-3/8"	3-1/8"	15/16"
1107AA340600	3/4X6	3/4"	2-3/8"	3-5/8"	15/16"
1107AA340614	3/4X6-1/4	3/4"	2-3/8"	3-7/8"	15/16"

Open / Eye Hook Sleeve Anchor



Material: Carbon steel.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm	SW mm
1112AA080045	M6X8X45	8	45	10
1112AA100060	M8X10X60	10	60	13
1112AA120070	M10X12X70	12	70	17
1112AA160080	M12X16X80	16	80	19



Sleeve Anchor With Plastic Ring



Material: Carbon steel,SS304,SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm	t _{fix} mm	SW mm
1201AA080045	M6X8X45	8	35	10	10
1201AA080060	M6X8X60	8	35	25	10
1201AA090045	M6X9X45	9	35	10	10
1201AA090060	M6X9X60	9	35	25	10
1201AA100060	M8X10X60	10	45	15	13
1201AA100080	M8X10X80	10	45	35	13
1201AA110060	M8X11X60	11	45	15	13
1201AA110080	M8X11X80	11	45	35	13
1201AA120070	M10X12X70	12	50	15	17
1201AA120100	M10X12X100	12	50	45	17
1201AA140070	M10X14X70	14	50	15	17
1201AA140100	M10X14X100	14	50	45	17
1201AA160080	M12X16X80	16	60	15	19
1201AA160100	M12X16X100	16	60	35	19
1201AA160110	M12X16X110	16	60	45	19
1201AA200080	M16X20X80	20	75	5	24
1201AA200110	M16X20X110	20	75	35	24



Tam Anchor


Material: Carbon steel, SS304, SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm
19150Y060045	M6(10X45)	10	45
19150Y080050	M8(12X50)	12	50
19150Y100055	M10(15X55(60))	16	55
19150Y120075	M12(18X74)	18	75




Two Pieces Heavy Duty Anchor


Material: Carbon steel, SS304, SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm
19151Y060045	M6(12X45)	12	45
19151Y080050	M8(14X50)	14	50
19151Y100060	M10(16X60)	16	60
19151Y120075	M12(20X75)	20	75
19151Y160100	M16(24X100)	25	100




Three Pieces Heavy Duty Anchor




Material: Carbon steel, SS304, SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm
19152Y050040	M5X10X40	10	40
19152Y060045	M6X11X45	12	45
19152Y080050	M8X13X50	14	50
19152Y100060	M10X15X60	16	60
19152Y120070	M12X19X70	20	70
19152Y160095	M16X24X95	25	95
19152Y200125	M20X31X125	32	125




Fix Bolt





Material: Carbon steel, SS304, SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm
19153Y060040	M6X10X40	10	40
19153Y080050	M8X12X50	12	50
19153Y100060	M10X16X60	16	60
19153Y120080	M12X20X80	20	80
19153Y160100	M16X25X100	25	100
19153Y200130	M20X30X130	30	130




Split Drive Anchor

Material: C1035, SS304, SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d _o in	h _{nom} in	t _{fix} in
1005BE360114	"3/16X1-1/4(5X31.8)"	3/16"	1"	1/4"
1005BE360112	"3/16X1-1/2(5X38.1)"	3/16"	1"	1/2"
1005BE360200	"3/16X2(5X50.0)"	3/16"	1"	1"
1005BE360212	"3/16X2-1/2(5X63.5)"	3/16"	1"	1-1/2"
1005BE360300	"3/16X3(5X76.2)"	3/16"	1"	2"
1005BE360312	"3/16X3-1/2(5X88.9)"	3/16"	1"	2-1/2"
1005BE360400	"3/16X4(5X101.6)"	3/16"	1"	3"
1005BE360412	"3/16X4-1/2(5X114.3)"	3/16"	1"	3-1/2"
1005BE360500	"3/16X5(5X127.0)"	3/16"	1"	4"
1005BE140112	"1/4X1-1/2(6.5X38.1)"	1/4"	1-1/4"	1/4"
1005BE140200	"1/4X2(6.5X50.8)"	1/4"	1-1/4"	3/4"
1005BE140212	"1/4X2-1/2(6.5X63.5)"	1/4"	1-1/4"	1-1/4"
1005BE140300	"1/4X3(6.5 X 76.2)"	1/4"	1-1/4"	1-3/4"
1005BE140312	"1/4X3-1/2(6.5X88.9)"	1/4"	1-1/4"	2-1/4"
1005BE140400	"1/4X4(6.5 X 101.6)"	1/4"	1-1/4"	2-3/4"
1005BE140412	"1/4X4-1/2(6.5X114.3)"	1/4"	1-1/4"	3-1/4"
1005BE140500	"1/4X5(6.5X127.0)"	1/4"	1-1/4"	3-3/4"

Tie Wire Anchor

Material: Carbon steel

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀	h _{nom}
1003AA060040	6X40	6mm	25mm
1003AA060050	6X50	6mm	30mm
1003AA060055	6X55	6mm	30mm
1003AA060060	6X60	6mm	30mm
1003AA060090	6X90	6mm	30mm
1003AA060120	6X120	6mm	30mm
1003AA060150	6X150	6mm	30mm
1004EA140214	1/4X2-1/4	1/4"	1-3/8"
1004EA140218	1/4X2-1/8	1/4"	1-1/4"

Hollow Wall Anchor


Material: Carbon steel

XTANCHOR

Fixing Anchor Factory



Code	Size (screw X sleeve)	d ₀ mm	d _p mm	t _{fix} mm
19400Y040021	M4X21	8	3-6	10
19400Y040032	M4X32	8	6-7	15
19400Y040038	M4X38	8	10-13	15
19400Y040046A	M4X46	8	3-20	15
19400Y040046B	M4X46	8	16-24	15
19400Y040054	M4X54	8	18-28	15
19400Y040060	M4X60	8	31-38	15
19400Y050037	M5X37	11	6-8	20
19400Y050052	M5X52	11	11-13	25
19400Y050065	M5X65	11	23-26	25
19400Y050080	M5X80	11	38-41	25
19400Y060037	M6X37	12	7-9	20
19400Y060052	M6X52	12	11-13	25
19400Y060065	M6X65	12	23-26	25
19400Y060080	M6X80	12	38-41	25
19400Y080037	M8X37	14	7-9	20
19400Y080052	M8X52	14	11-13	25
19400Y080065	M8X65	14	23-26	25
19400Y080080	M8X80	14	38-41	25
19410Y1800XS	1/8XS	8	3-6	10
19410Y18000S	1/8S	8	6-7	15
19410Y18000M	1/8M	8	10-13	15
19410Y1800SL	1/8SL	8	3-20	15
19410Y18000L	1/8L	8	16-24	15
19410Y31600E	3/16E(5X37)	11	6-8	20
19410Y31600S	3/16S(5X52)	11	11-13	25
19410Y31600L	3/16L(5X65)	11	23-26	25
19410Y3160XL	3/16XL(5X80)	11	38-41	25
19410Y14000S	1/4S(6X52)	12	11-13	25
19410Y14000L	1/4L	12	23-26	25






Drop In Anchor


Material: Carbon steel,SS304,SS316.

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀	h ₀
19079Y060825	M6X8X25	8mm	25mm
19079Y081030	M8X10X30	10mm	30mm
19079Y101240	M10X12X40	12mm	40mm
19079Y121550	M12X15X50	15mm	50mm
19079Y121650	M12X16X50	16mm	50mm
19079Y162065	M16X20X65	20mm	65mm
19079Y202580	M20X25X80	25mm	80mm
19082Y143825	1/4X3/8X1	3/8"	1"
19082Y561030	5/16X10.0X30.0	10mm	30mm
19082Y381240	3/8X1/2X1-9/16	1/2"	1-9/16"
19082Y125851	1/2X5/8X2	5/8"	2"
19082Y587864	5/8X7/8X2-1/2	7/8"	2-1/2"
19082Y341081	3/4X1X3-3/16	1"	3-3/16"



XTANCHOR

Fixing Anchor Factory

Ceiling Anchor

Material: Carbon steel



Code	Size	d ₀ mm	h ₀ mm	t _{fix} mm
19454E060035	6X35	6	40	5
19454E060065	6X65	6	40	35

Spring Toggle

Material: Carbon steel



Code	Size	d ₀
19350Y000004	M4	11mm
19350Y000005	M5	16mm
19350Y000006	M6	18mm
19350Y000008	M8	22mm
19351Y180000	1/8"-32	7/16"
19351Y360000	3/16"-24	5/8"
19351Y140000	1/4"-20	11/16"
19351Y380000	3/8"-16	1"



XTANCHOR

Fixing Anchor Factory



Express Nail Anchor

Material: 50Mn, 65Mn

Code	Size	d ₀ mm	h ₀ mm	t _{fix} mm
19451Y060030	6X30	6	35	3
19451Y060060	6X60	6	40	30
19451Y060080	6X80	6	40	50
19451Y080070	8X70	8	50	30
19451Y080110	8X110	8	50	70
19451Y080130	8X130	8	50	90
19451Y080150	8X150	8	50	110
19451Y080180	8X180	8	50	140

Metal Frame Anchor

Material: Carbon steel



Code	Size	d ₀ mm	h ₀ mm	t _{fix} mm	Drive
19452Y080070	8X70	8	45	40	PZ2
19452Y080090	8X90	8	45	60	PZ2
19452Y080110	8X110	8	45	80	PZ2
19452Y080130	8X130	8	45	100	PZ2
19452Y100072	10X72	10	55	30	PZ3
19452Y100092	10X92	10	55	50	PZ3
19452Y100112	10X112	10	55	70	PZ3
19452Y100132	10X132	10	55	90	PZ3
19452Y100152	10X152	10	55	110	PZ3
19452Y100182	10X182	10	55	140	PZ3
19452Y100202	10X202	10	55	160	PZ3

Zamak Hammer Drive Anchor


Material: Zinc alloy&Steel

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀	h _{nom}	t _{fix}
19001Y050022	"5X22(3/16X7/8)"	5mm	16mm	6mm
19001Y060030	6X30	6mm	25mm	5mm
19001Y060040	6X40	6mm	25mm	15mm
19001Y060050	6X50	6mm	30mm	20mm
19001Y060065	6X65	6mm	30mm	35mm
19002Y140034	1/4X3/4	1/4"	5/8"	1/8"
19002Y140100	"1/4X1(6.5X25)"	1/4"	3/4"	1/4"
19002Y140114	"1/4X1-1/4(6.5X32)"	1/4"	1"	1/4"
19002Y140112	"1/4X1-1/2(6.5X38)"	1/4"	1"	1/2"
19002Y140200	"1/4X2(6.5X50)"	1/4"	1"	1"
19002Y140212	"1/4X2-1/2(6.5X63.5)"	1/4"	1-1/2"	1"
19002Y140300	"1/4X3(6.5X75)"	1/4"	1-1/2"	1-1/2"
19002Y140400	"1/4X4(6.5X100)"	1/4"	1-1/2"	2-1/2"





XTANCHOR

Fixing Anchor Factory

Zamak Self Drive Anchor


Material: Zinc alloy



Code	Size	Screw mm	Drive
19003Y140031	14X31	4.5X35	PZ2
19003Y140038	14X38	4.5X35	PZ2
19004Y150032	15X32	4.5X35	PZ2
19005Y130042	13X42	4.5X35	PZ2
19005Y130031	13X31	4.5X35	PZ2
19005Y130032	14X33	4.5X35	PZ2
19021Y150037	15X37	4.5X35	PZ2
19022Y140042	14X42	4.5X35	PZ2

Lag Screw Anchor

Material: Zinc alloy



Code	Size	d ₀	h ₀
19006Y140100	1/4X1	1/2"	1"
19006Y560114	5/16X1-1/4	1/2"	1-1/4"
19006Y380134	3/8X1-3/4	5/8"	1-3/4"
19006Y120134	1/2X1-3/4	3/4"	1-3/4"
19006Y120200	1/2X2	3/4"	2"
19007Y140112	1/4X1-1/2	1/2"	1-1/2"
19007Y560134	5/16X1-3/4	1/2"	1-3/4"
19007Y380212	3/8X2-1/2	5/8"	2-1/2"
19007Y120300	1/2X3	3/4"	3"

Double Expansion Anchor

Material: Zinc alloy



Code	Size	Bolt	d ₀	h ₀
19008Y140012	1/4X1/2X1-1/4	1/4"	1/2"	1-1/4"
19008Y560058	5/16X5/8X1-1/2	5/16"	5/8"	1-1/2"
19008Y380034	3/8X3/4X2	3/8"	3/4"	2"
19008Y120078	1/2X7/8X2-1/2	1/2"	7/8"	2-1/2"
19008Y580100	5/8X1X2-5/8	5/8"	1"	2-5/8"
19008Y340114	3/4X1-1/4X4	3/4"	1-1/4"	4"

Single Expansion Anchor

Material: Zinc alloy



Code	Size	Bolt	d ₀	h ₀
19010Y000036	3/16X3/8X1-5/8	3/16"	3/8"	1-5/8"
19010Y000014	1/4X1/2X1-3/4	1/4"	1/2"	1-3/4"
19010Y000056	5/16X5/8X2	5/16"	5/8"	2"
19010Y000038	3/8X5/8X2	3/8"	5/8"	2"
19010Y000012	1/2X7/8X3-1/4	1/2"	7/8"	3-1/4"

Nylon Hammer Drive Anchor


Material: PA(Nylon), PE, PP,Steel (Screw)

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm	t _{fix} mm	Drive
19259Y050030	M5X30	5	25	5	PZ2
19259Y050050	M5X50	5	25	25	PZ2
19259Y060035	M6X35	6	30	5	PZ2
19259Y060040	M6X40	6	30	10	PZ2
19259Y060050	M6X50	6	30	20	PZ2
19259Y060060	M6X60	6	30	30	PZ2
19259Y060070	M6X70	6	30	40	PZ2
19259Y060080	M6X80	6	30	50	PZ2
19259Y080060	M8X60	8	40	20	PZ3
19259Y080080	M8X80	8	40	40	PZ3
19259Y080100	M8X100	8	40	60	PZ3
19259Y080120	M8X120	8	40	80	PZ3
19259Y080135	M8X135	8	40	95	PZ3
19259Y100120	M10X120	10	50	70	PZ3




Nylon Frame Fixing Anchor


Material: PA(Nylon),PE, PP,Steel (Screw)

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀ mm	h _{nom} mm	t _{fix} mm	Drive
19263Y060040	M6X40	6	30	10	PZ2
19263Y060060	M6X60	6	30	30	PZ2
19263Y060070	M6X70	6	40	30	PZ2
19263Y060080	M6X80	6	40	40	PZ2
19263Y080060	M8X60	8	50	10	PZ3
19263Y080080	M8X80	8	50	30	PZ3
19263Y080100	M8X100	8	60	40	PZ3
19263Y080120	M8X120	8	60	60	PZ3
19263Y100080	M10X80	10	60	20	PZ3
19263Y100100	M10X100	10	60	40	PZ3
19263Y100120	M10X120	10	80	40	PZ3
19263Y100140	M10X140	10	80	60	PZ3
19263Y100160	M10X160	10	80	80	PZ3



XTANCHOR

Fixing Anchor Factory



Self-drill Plasterboard Plug


Material: Nylon



Code	Size	Screw mm	Drive
19274Y130042	13X42	4.5X35	PZ2
19274Y140043	14X43	4.5X35	PZ2
19274Y150032	15X32	4.5X35	PZ2
19276Y140028	14X28	4.5X35	PZ2
19276Y130037	13X37	4.5X35	PZ2
19277Y150022	15X22	4.5X35	PZ2
19283Y120112	1/2X1-1/2	4.5X35	PZ2

Nylon plug

Material: Nylon,PP,PE



Code	Size	d ₀ mm	h _{nom} mm
19250Y040020	4X20	4	20
19250Y050025	5X25	5	25
19250Y060030	6X30	6	30
19250Y070035	7X35	7	35
19250Y080040	8X40	8	40
19250Y100050	10X50	10	50
19250Y120060	12X60	12	60
19250Y140075	14X75	14	75
19250Y160080	16X80	16	80
19306Y000036	3/16"	3/16"	25
19306Y000014	1/4"	1/4"	30
19306Y000056	5/16"	5/16"	40
19306Y000038	3/8"	3/8"	50

Nylon nail-in anchor

Material: Nylon&Steel

XTANCHOR

Fixing Anchor Factory



Code	Size	d ₀	h _{nom}	t _{fix}
19286Y360034	"3/16X3/4(5X20)"	3/16"	5/8"	1/8"
19286Y360100	"3/16X1(5X25)"	3/16"	7/8"	1/8"
19286Y360112	"3/16X1-1/2(5X38)"	3/16"	1-1/4"	1/4"
19286Y140100	"1/4X1(6.5X25)"	1/4"	7/8"	1/8"
19286Y140112	"1/4X1-1/2(6.5X38)"	1/4"	1-1/4"	1/4"
19286Y140134	"1/4X1-3/4(6.5X45)"	1/4"	1-1/4"	1/2"
19286Y140200	"1/4X2(6.5X50)"	1/4"	1-1/4"	3/4"
19286Y140212	"1/4X2-1/2(6.5X65)"	1/4"	1-1/2"	1"
19286Y140300	"1/4X3(6.5X75)"	1/4"	1-1/2"	1-1/2"
19286Y140400	"1/4X4(6.5X100)"	1/4"	2"	2"




Hex Coupling Nut


Material: Carbon Steel, SS304

XTANCHOR

Fixing Anchor Factory



Code	Size	Thread	Hex	h
19506Y040720	M4X7X20	M4	7mm	20mm
19506Y061018	M6X10X18	M6	10mm	18mm
19506Y061020	M6X10X20	M6	10mm	20mm
19506Y061030	M6X10X30	M6	10mm	30mm
19506Y081130	M8X11X30	M8	11mm	30mm
19506Y081324	M8X13X24	M8	13mm	24mm
19506Y081325	M8X13X25	M8	13mm	25mm
19506Y101330	M10X13X30	M10	13mm	30mm
19506Y101730	M10X17X30	M10	17mm	30mm
19506Y101740	M10X17X40	M10	17mm	40mm
19506Y121640	M12X16X40	M12	16mm	40mm
19506Y121936	M12X19X36	M12	19mm	36mm
19506Y121940	M12X19X40	M12	19mm	40mm
19506Y162448	M16X24X48	M16	24mm	48mm
19506Y162450	M16X24X50	M16	24mm	50mm
19506Y203050	M20X30X50	M20	30mm	50mm
19506Y203060	M20X30X60	M20	30mm	60mm
19507Y015615	#10X8.0mmX15.0mm	#10	8mm	15mm
19507Y143822	1/4X3/8X7/8	1/4"	3/8"	7/8"
19507Y561229	5/16X1/2X1-1/8	5/16"	1/2"	1-1/8"
19507Y381250	3/8X1/2X2	3/8"	1/2"	2"
19507Y381229	3/8X1/2X1-1/8	3/8"	1/2"	1-1/8"
19507Y389644	3/8X9/16X1-3/4	3/8"	9/16"	1-3/4"
19507Y125832	1/2X5/8X1-1/4	1/2"	5/8"	1-1/4"
19507Y121644	1/2X11/16X1-3/4	1/2"	11/16"	1-3/4"
19507Y583654	5/8X13/16X2-1/8	5/8"	13/16"	2-1/8"
19507Y341057	3/4X1X2-1/4	3/4"	1"	2-1/4"
19507Y785464	7/8X1-1/4X2-1/2	7/8"	1-1/4"	2-1/2"
19507Y101464	1X1-1/4X2-1/2	1"	1-1/4"	2-1/2"



XTANCHOR

Fixing Anchor Factory

Round Coupling Nut

Material: Carbon Steel, SS304



Code	Size	Thread	Dia mm	h mm
19509Y061020	M6X φ 10X20	M6	φ 10	20
19509Y061030	M6X φ 10X30	M6	φ 10	30
19509Y081125	M8X φ 11X25	M8	φ 11	25
19509Y081130	M8X φ 11X30	M8	φ 11	30
19509Y101330	M10X φ 13X30	M10	φ 13	30
19509Y121530	M12X φ 15X30	M12	φ 15	30
19509Y121535	M12X φ 15X35	M12	φ 15	35
19509Y121540	M12X φ 15X40	M12	φ 15	40

Spring Nut

Material: Carbon Steel, Stainless Steel



Code	Size	Thread	L mm	W mm	H mm	Spring mm
19500Y05A000	M5(34.5X19X6)	M5	34.5	19	6	25,32
19500Y06A000	M6(34.5X19X6)	M6	34.5	19	6	25,38
19500Y08B000	M8(34.5X19X8)	M8	34.5	19	8	32,38
19500Y10B000	M10(34.5X19X8)	M10	34.5	19	8	38
19500Y10C000	M10(34.5X19X9)	M10	34.5	19	9	38
19500Y12C000	M12(34.5X19X9)	M12	34.5	19	9	38
19500Y12F000	M12(34.5X19X11)	M12	34.5	19	11	38
19501Y38B000	"3/8"-16BSW (34.5X19X8)"	3/8"- 16BSW	34.5	19	8	25



Contact

Tel:+86 0574 62021698

Fax:+86 0574 62020898

E-mail:sales@xtanchor.com

Web:www.xtanchor.com

地址：浙江余姚黄家埠镇镇北路37号，邮编 315464

Address: No.37,Zhenbei East Rd,Huangjiabu Town,315464,Yuyao City,Zhejiang Province,China.

