



# NAMDEV GROUP

HAND TOOLS, SPROCKETS & FORGING COMPONENTS.



## *Product Catalogue*



WE DELIVER WHAT WE PROMISE

[www.ndhandtools.com](http://www.ndhandtools.com)

## ABOUT US

Namdev Group Established in 2010, we have developed into one of the leading and professional hand tools, sprockets and forging components manufacturer and exporters in India. In 13+ years with an independent family business, we set ground-breaking standards worldwide.

With a team of highly qualified, trained and dedicated personal, Namdev Group, has consistently manufactured high quality, reliable and cost efficient products. Critical inspection of operations, timely delivery of goods and an effective management system has made Namdev Group a name to reckon with in the Indian as well as global market.

Our team of research and development personnel is involved in the development of several innovative products. Furthermore, the infrastructure is well equipped with advanced machinery and is made in such a way that facilitates easy production.

Our company is an ISO 9001:2015 & TS 16949:2009 Certified Company. We maintain Quality of our products as well as cost. we never compromise with products in relation because quality products are our company's back bone. we provide very competitive rates to our reputed customers with 100% customer satisfaction.

Our company has a sole aim to render maximum client satisfaction, which cannot be possible without the support of team. Thus, we have recruited a highly experienced and qualified team of professionals, who hold expertise in efficiently comprehending and accomplishing the specific requirements of clients.

Our team consists of highly practiced engineers, production personnel, technicians, skilled workers, quality controllers, warehousing and packaging personnel and many others.

Also, we make sure to provide these services with a high level of accuracy and within the stipulated time frame. The major initiatives of growth will be through strategic acquisitions and diversifications into new product areas which will help the company in placing itself in a position of strength in various parts of the world in supply chain management.



**NAMDEV GROUP**

# QUALITY ASSURANCE

At Namdev Group, we are unwavering in our commitment to delivering products of the highest quality. As manufacturers of hand tools, sprockets and forging components, we recognize the critical role our products play in the success and safety of our customers. Our Quality Policy is rooted in our dedication to excellence, innovation, and customer satisfaction.

We prioritize understanding and exceeding the expectations of our customers. Our components are designed to enhance the performance and safety of professionals in various industries. We foster a culture of continuous improvement in all aspects of our operations. Regular reviews and assessments drive innovation, efficiency, and the implementation of best practices.

Our manufacturing processes strictly adhere to international quality standards. We stay informed and updated on industry regulations to ensure full compliance and the highest levels of safety. At Namdev Group, our commitment to quality is not just a policy; it is a promise. We strive for excellence in every hand tools, sprockets and forging components we produce, contributing to the success and safety of our customers globally.



\* UPCOMING CERTIFICATIONS WILL BE ACHIEVED BY MAY 2024.





At Namdev Group, we pride ourselves on possessing a robust and state-of-the-art infrastructure that forms the backbone of our operations. Our commitment to excellence extends beyond our products to the very foundation upon which we build success.

Our expanded manufacturing facilities are equipped with cutting-edge technology and machinery, allowing us to produce high quality hand tools, sprockets and forging components. From precision machining to advanced assembly lines, our facilities are designed to optimize efficiency and ensure the seamless production of a diverse range of industrial solutions.

Innovation is at the heart of what we do. Our dedicated Research and Development (R&D) center is a hub of creativity and ingenuity. Here, our team of skilled engineers and technicians work tirelessly to push the boundaries. The R&D center is equipped with the latest tools and resources, enabling us to stay ahead of industry trends and deliver innovative solutions to our clients.









<b>BLANKING SECTION</b>	
100-400 TON PRESSES	10 Nos
PNG FURNACE	8 Nos
<b>DROP FORGED HAMMERS</b>	
1 TON	6 Nos
1.5 TON	1 Nos
2 TON	1 Nos
<b>TRIMMING SECTION</b>	
50-200 TON PRESSES	10 Nos
<b>PUNCHING SECTION</b>	
20-100 TON PRESSES	10 Nos
<b>BROACH SECTION</b>	
BROACH MACHINES	15 Nos
<b>GRINDING SECTION</b>	
CIRCULAR GRINDING	6 Nos
SHANK GRINDING	6 Nos
REYMAN GRINDING	3 Nos
HEAD POLISH	4 Nos
BELT ADA	20 Nos
DUPLEX GRINDER	1 Nos
<b>HARDENING FURNACE</b>	
ENHANCING & HARDENING	250KG PER HOUR 2 Nos
SHOT BLAST	3 Nos
VIBRATORS	15 Nos
DRYER	2 Nos
<b>COLD FORGING KNUCKLE</b>	
250-400 TON	2 Nos
WIRE CUT	1 Nos
<b>MACHINING</b>	
VMC	5 Nos
CNC	5 Nos
EDM	1 Nos
<b>CHROME PLATING</b>	
NICKLE CHROME GLIDO FULLY AUTOMATIC PLANT	
PER DAY 1,00,000 PIECES CAPACITY	
<b>LAB &amp; TESTING</b>	
HARDNESS TESTER	3 Nos
TORQUE	1 Nos
SPECTRO AMETEK GERMANY	1 Nos
<b>GENERATOR</b>	
650 KVA	2 Nos
75 KVA	1 Nos

WATER TREATMENT ETP TANK + RO + UF + EVAPORATOR (ZERO LIQUID DISCHARGE)
--

<b>NAMDEV FORGE PVT. LTD.</b>	
CAPACITY PER MONTH	30 LAKHS SPANNER PER MONTH
EMPLOYEES	400+*
LAND AREA	1,76,000 SQ FT
CONSTRUCTED AREA	80,000 SQ FT

<b>NAMDEV INDUSTRIES</b>	
ANNUAL TURNOVER	230 CRORE
EMPLOYEES	80+
LAND AREA	45,000 SQ FT
CONSTRUCTED AREA	25,000 SQ FT

\*Note- Above Approx Figures Calculated On 80% Plant Capacity Which Will Be Obtained In Future.

## COMBINATION SPANNERS

### COLD STAMPED ANTI SLIP NG 100

- Made From Chrome Vanadium Steel '31 Crv3' • Hardened And Tempered
- Anti Slip Panel, Firm Grip Even With Oily Hands • Lifetime Warranty
- Double Layer Chrome Plated / Smooth Matt Finish • Confirms To Din 3113a




mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6	1/4	20	100	100/800	100.6
7		25	110	100/800	100.7
8	5/16	30	115	100/600	100.8
9		35	125	100/600	100.9
10	3/8	40	135	100/400	100.10
11	7/16	45	145	50/300	100.11
12		60	155	50/300	100.12
13	1/2	70	165	50/300	100.13
14	9/16	85	171	50/200	100.14
15		95	185	50/200	100.15
16	5/8	110	195	50/200	100.16
17	11/16	130	210	50/200	100.17
18		145	220	25/100	100.18
19	3/4	165	230	25/100	100.19
20		180	240	25/100	100.20
21	13/16	190	245	25/100	100.21
22	7/8	210	248	25/100	100.22
23		245	260	10/80	100.23
24	15/16	260	270	10/80	100.24
25	1"	290	282	10/60	100.25
26		310	290	10/60	100.26
27	1.1/16	340	300	10/60	100.27
28	1.1/8	380	310	10/60	100.28
29		470	330	10/40	100.29
30	1.3/16	470	330	10/40	100.30
32	1.1/4	530	350	10/40	100.32
33	1.5/16	730	380	5/20	100.33
34		730	380	5/20	100.34
35	1.3/8	730	380	5/20	100.35
36	1.7/16	850	400	5/20	100.36
38	1.1/2	850	400	5/20	100.38
41	1.5/8	1150	452	4/16	100.41
44	1.3/4	1580	497	3/12	100.44
46	1.3/16	1600	497	3/12	100.46
48	1.7/8	2000	540	2/8	100.48
50	2"	2000	540	2/8	100.50

Set's Code	Contents	IB/OB
30/6M	8, 10, 12, 13, 14, 17	10/40
30/8M	8, 9, 10, 11, 13, 14, 17, 19	5/30
30/12M	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22	5/20
30/14M	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	4/16
30/26M	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32	1/4
30/8M	33, 34, 35, 36, 38, 41, 46, 50 American Sizes (SAE)	1/2
30/05A	3/8, 7/16, 1/2, 9/16, 5/8	10/40
30/11A	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	5/20
30/12A	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"	4/16

## DOUBLE OPEN END SPANNERS

### COLD STAMPED ANTI SLIP NG 200

- Made From Chrome Vanadium Steel '31 Crv3' • Hardened And Tempered
- Anti Slip Panel, Firm Grip Even With Oily Hands • Lifetime Warranty
- Double Layer Chrome Plated / Smooth Matt Finish • Confirms To Din 3110



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6x7	1/4x5/16	25	126	100/800	200.6
8x9	5/16x3/8	35	142	100/600	200.8
10x11	3/8x7/16	50	157	100/400	200.10
12x13	7/16x1/2	70	175	50/300	200.12
14x15	1/2x9/16	90	187	50/200	200.14
16x17	5/8x11/16	120	202	50/200	200.16
18x19		150	220	25/150	200.18
20x22	13/16x7/8	210	232	25/100	200.20
21x23	13/16x15/16	230	246	20/80	200.21
24x27	15/16x1.1/16	300	265	10/60	200.24
25x28	1x1.1/8	340	275	10/60	200.25
30x32		430	298	10/40	200.30
30x34		480	298	5/30	200.30a
32x36		600	315	5/20	200.32
36x41		800	358	4/16	200.36
41x46		1200	410	3/12	200.41
46x50		1850	460	3/12	200.46
8x10	1/4x5/16	35	142	100/600	200.8
9x11		50	157	100/400	200.9
10x12		50	157	50/200	200.10
10x13		70	170	50/200	200.10a
11x13		70	170	50/200	200.11
12x14		70	170	50/200	200.12
13x14		90	186	50/200	200.13
13x17		120	202	50/200	200.13a
14x17		120	202	50/200	200.14
15x16		150	186	25/150	200.15
16x18		150	202	25/150	200.16
17x18		150	218	25/150	200.17
17x19		150	220	25/150	200.17a
19x22		210	232	25/100	200.19
22x24	15/16x1	230	246	25/100	200.22
24x26		330	265	10/60	200.24
27x30		430	295	10/40	200.27
27x32	1.1/16x1.1/4	430	298	10/40	200.27

Set's Code	Contents	IB/OB
10/6M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17	10/40
10/8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	6/24
10/12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	3/12
10/4MJ	21x23, 24x27, 25x28, 30x32 32x36, 36x41, 41x46, 46x50	1/4



## RING SPANNERS

### COLD STAMPED ANTI SLIP NG 300

- Made From Chrome Vanadium Steel '31 Crv3' • Hardened And Tempered
- Anti Slip Panel, Firm Grip Even With Oily Hands • Lifetime Warranty
- Double Layer Chrome Plated / Smooth Matt Finish • Confirms To Din 838



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6x7	1/4x5/16	55	175	50/300	300.6
8x9	5/16x3/8	70	185	50/300	300.8
10x11	3/8x7/16	95	198	50/200	300.10
12x13	7/16x1/2	115	215	25/200	300.12
14x15	1/2x9/16	150	228	25/150	300.14
16x17	5/8x11/16	190	246	25/100	300.16
18x19		225	268	25/100	300.18
20x22	13/16x7/8	300	292	20/80	300.20
21x23	13/16x15/16	340	315	15/60	300.21
24x27	15/16x1.1/16	420	328	10/40	300.24
25x28	1x1.1/8	475	342	10/40	300.25
30x32		570	370	10/40	300.30
32x36		700	410	5/30	300.32
36x41		1050	445	5/20	300.36
41x46		1480	525	4/16	300.41
46x50		2100	580	3/12	300.46
8x10	1/4x5/16	70	185	50/200	300.8
10x12		115	215	50/200	300.10
10x13		115	215	50/200	300.10a
13x15		150	228	25/150	300.13
13x17		190	246	25/100	300.13a
17x19		225	268	20/80	300.17
19x22		280	292	10/60	300.19
22x24		340	315	10/60	300.22
24x26	15/16x1	420	328	10/40	300.24
27x30		550	342	10/40	300.27
27x32	1.1/16x1.1/4	550	365	10/40	300.27a

Set's Code	Contents	IB/OB
20/6M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17	4/24
20/8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	5/20
20/12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 21x23, 24x27, 25x28, 30x32	2/8
20/4MJ	32x36, 36x41, 41x46, 46x50	1/4

## COMBINATION SPANNERS

### ELLIPTICAL PATTERN

### NG 400

- Made From Chrome Vanadium Steel '31 Crv3' • Hardened And Tempered
- Elliptical Pattern/ Oval Body • Lifetime Warranty
- Confirms To Din 3113a • Double Layer Chrome Plated / Smooth Matt Finish



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6	1/4	20	100	100/800	400.6
7		25	110	100/800	400.7
8	5/16	30	115	100/600	400.8
9		35	125	100/600	400.9
10	3/8	40	135	100/400	400.10
11	7/16	45	145	50/300	400.11
12		60	155	50/300	400.12
13	1/2	70	165	50/300	400.13
14	9/16	85	171	50/200	400.14
15		95	185	50/200	400.15
16	5/8	110	195	50/200	400.16
17	11/16	130	210	50/200	400.17
18		145	220	25/100	400.18
19	3/4	165	230	25/100	400.19
20		180	240	25/100	400.20
21	13/16	190	245	25/100	400.21
22	7/8	210	248	25/100	400.22
23		245	260	10/80	400.23
24	15/16	260	270	10/80	400.24
25	1"	290	282	10/60	400.25
26		310	290	10/60	400.26
27	1.1/16	340	300	10/60	400.27
28	1.1/8	380	310	10/60	400.28
29		470	330	10/40	400.29
30	1.3/16	470	330	10/40	400.30
32	1.1/4	530	350	10/40	400.32
33	1.5/16	730	380	5/20	400.33
34		730	380	5/20	400.34
35	1.3/8	730	380	5/20	400.35
36	1.7/16	850	400	5/20	400.36
38	1.1/2	850	400	5/20	400.38
41	1.5/8	1150	452	4/16	400.41
44	1.3/4	1580	497	3/12	400.44
46	1.3/16	1600	497	3/12	400.46
48	1.7/8	2000	540	2/8	400.48
50	2"	2000	540	2/8	400.50

Set's Code	Contents	IB/OB
35/6M	8, 10, 12, 13, 14, 17	10/40
35/8M	8, 9, 10, 11, 13, 14, 17, 19	5/30
35/12M	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22	5/20
35/14M	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	4/16
35/26M	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32	1/4
35/8M	33, 34, 35, 36, 38, 41, 46, 50 American Sizes (SAE)	1/2
35/05A	3/8, 7/16, 1/2, 9/16, 5/8	10/40
35/11A	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	5/20
35/12A	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"	4/16



## DOUBLE OPEN END SPANNERS

### ELLIPTICAL PATTERN NG 500

- Made From Chrome Vanadium Steel '31 Crv3' • Hardened And Tempered
- Elliptical Pattern/ Oval Body • Lifetime Warranty
- Confirms To Din 3110 • Double Layer Chrome Plated / Smooth Matt Finish



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6x7	1/4x5/16	25	126	100/800	500.6
8x9	5/16x3/8	35	142	100/600	500.8
10x11	3/8x7/16	50	157	100/400	500.10
12x13	7/16x1/2	70	175	50/300	500.12
14x15	1/2x9/16	90	187	50/200	500.14
16x17	5/8x11/16	120	202	50/200	500.16
18x19		150	220	25/150	500.18
20x22	13/16x7/8	210	232	25/100	500.20
21x23	13/16x15/16	230	246	20/80	500.21
24x27	15/16x1.1/16	300	265	10/60	500.24
25x28	1x1.1/8	340	275	10/60	500.25
30x32		430	298	10/40	500.30
30x34		480	298	5/30	500.30a
32x36		600	315	5/20	500.32
36x41		800	358	4/16	500.36
41x46		1200	410	3/12	500.41
46x50		1850	460	3/12	500.46
8x10	1/4x5/16	35	142	100/600	500.8
9x11		50	157	100/400	500.9
10x12		50	157	50/200	500.10
10x13		70	170	50/200	500.11
11x13		70	170	50/200	500.12
12x14		70	170	50/200	500.13
13x14		90	186	50/200	500.13a
13x17		120	202	50/200	500.14
14x17		120	202	50/200	500.15
15x16		150	186	25/150	500.16
16x18		150	202	25/150	500.17
17x18		150	218	25/150	500.17a
17x19		150	220	25/150	500.19
19x22		210	232	25/100	500.22
22x24	15/16x1	230	246	25/100	500.24
24x26		330	265	10/60	500.27
27x30		430	295	10/40	500.27a
27x32	1.1/16x1.1/4	430	298	10/40	500.27

Set's Code	Contents	IB/OB
15/6M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17	10/40
15/8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	6/24
15/12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 21x23, 24x27, 25x28, 30x32	3/12
15/4MJ	32x36, 36x41, 41x46, 46x50	1/4

## RING SPANNERS

### ELLIPTICAL PATTERN NG 600

- Made From Chrome Vanadium Steel '31 Crv3' • Hardened And Tempered
- Elliptical Pattern/ Oval Body • Lifetime Warranty
- Confirms To Din 3113a • Double Layer Chrome Plated / Smooth Matt Finish



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6x7	1/4x5/16	55	175	50/300	600.6
8x9	5/16x3/8	70	185	50/300	600.8
10x11	3/8x7/16	95	198	50/200	600.10
12x13	7/16x1/2	115	215	25/200	600.12
14x15	1/2x9/16	150	228	25/150	600.14
16x17	5/8x11/16	190	246	25/100	600.16
18x19		225	268	25/100	600.18
20x22	13/16x7/8	300	292	20/80	600.20
21x23	13/16x15/16	340	315	15/60	600.21
24x27	15/16x1.1/16	420	328	10/40	600.24
25x28	1x1.1/8	475	342	10/40	600.25
30x32		570	370	10/40	600.30
32x36		700	410	5/30	600.32
36x41		1050	445	5/20	600.36
41x46		1480	525	4/16	600.41
46x50		2100	580	3/12	600.46
8x10	1/4x5/16	70	185	50/200	600.8
10x12		115	215	50/200	600.10
10x13		115	215	50/200	600.10a
13x15		150	228	25/150	600.13
13x17		190	246	25/100	600.13a
17x19		225	268	20/80	600.17
19x22		280	292	10/60	600.19
22x24		340	315	10/60	600.22
24x26	15/16x1	420	328	10/40	600.24
27x30		550	342	10/40	600.27
27x32	1.1/16x1.1/4	550	365	10/40	600.27a

Set's Code	Contents	IB/OB
25/6M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17	4/24
25/8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	5/20
25/12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 21x23, 24x27, 25x28, 30x32	2/8
25/4MJ	32x36, 36x41, 41x46, 46x50	1/4



## COMBINATION SPANNERS

### RAISED PANEL NG 700

- Made From Carbon Steel • Hardened And Tempered
- Chrome Plated / Head And Panel Polished • Raised Panel



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6	1/4	25	96	100/800	700.6
7		25	98	100/800	700.7
8	5/16	30	110	100/600	700.8
9		35	115	100/600	700.9
10	3/8	40	127	100/400	700.10
11	7/16	50	133	50/300	700.11
12		60	138	50/300	700.12
13	1/2	70	145	50/300	700.13
14	9/16	80	165	50/200	700.14
15		100	176	50/200	700.15
16	5/8	115	185	50/200	700.16
17	11/16	130	205	50/200	700.17
18		150	205	25/100	700.18
19	3/4	180	235	25/100	700.19
20		190	235	25/100	700.20
21	13/16	215	259	25/100	700.21
22	7/8	255	260	25/100	700.22
23		300	260	10/80	700.23
24	15/16	310	280	10/80	700.24
25	1"	340	290	10/60	700.25
26		340	290	10/60	700.26
27	1.1/16	420	315	10/60	700.27
28	1.1/8	420	315	10/60	700.28
29		590	365	10/40	700.29
30	1.3/16	650	365	10/40	700.30
32	1.1/4	730	380	10/40	700.32
33	1.5/16	750	435	5/20	700.33
34		860	435	5/20	700.34
36		990	465	5/20	700.36
38	1.3/8	1160	475	5/20	700.38
41	1.7/16	1320	505	5/20	700.41
42	1.1/2	1420	505	4/16	700.42
44	1.5/8	1720	540	4/16	700.44
45	1.3/4	1720	540	3/12	700.45
46	1.3/16	1720	540	3/12	700.46
48	1.7/8	2040	570	2/8	700.48
50	2"	2170	605	2/8	700.50

Set's Code	Contents	IB/OB
44/6M	8, 10, 12, 13, 14, 17	10/40
44/8M	8, 9, 10, 11, 13, 14, 17, 19	5/30
44/12M	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22	5/20
44/14M	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	4/16
44/26M	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32	1/4
44/8M	33, 34, 35, 36, 38, 41, 46, 50 American Sizes (SAE)	1/2
44/05A	3/8, 7/16, 1/2, 9/16, 5/8	10/40
44/11A	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	5/20
44/12A	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"	4/16

## COMBINATION SPANNERS

### RECESSED PANEL NG 800

- Made From Carbon Steel / Crv Steel • Recessed Panel • Double Layer
- Chrome Plated / Matt Head Polished • Hardened And Tempered
- Confirms To Din 3113a • Lifetime Warranty



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6	1/4	17	100	100/800	800.6
7		20	110	100/800	800.7
8	5/16	25	120	100/600	800.8
9		30	130	100/600	800.9
10	3/8	35	140	100/400	800.10
11	7/16	45	150	50/300	800.11
12		50	160	50/300	800.12
13	1/2	60	170	50/300	800.13
14	9/16	75	180	50/200	800.14
15		90	190	50/200	800.15
16	5/8	100	200	50/200	800.16
17	11/16	115	210	50/200	800.17
18		135	220	25/150	800.18
19	3/4	140	230	25/150	800.19
20		160	240	25/100	800.20
21	13/16	180	250	25/100	800.21
22	7/8	200	260	25/100	800.22
23		215	270	10/80	800.23
24	15/16	240	280	10/80	800.24
25	1"	270	290	10/60	800.25
26		300	300	10/60	800.26
27	1.1/16	330	310	10/60	800.27
28	1.1/8	400	320	10/60	800.28
29		450	330	10/40	800.29
30	1.3/16	475	340	10/40	800.30
32	1.1/4	540	360	10/40	800.32

Set's Code	Contents	IB/OB
33/6M	8, 10, 12, 13, 14, 17	10/40
33/8M	8, 9, 10, 11, 13, 14, 17, 19	5/30
33/12M	6, 7, 8, 9, 10, 11, 12, 13, 14, 17, 19, 22	5/20
33/14M	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 21, 22, 24	4/16
33/26M	6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 American Sizes (SAE)	1/4
33/5A	3/8, 7/16, 1/2, 9/16, 5/8	10/40
33/11A	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8	5/20
33/12A	1/4, 5/16, 3/8, 7/16, 1/2, 9/16, 5/8, 11/16, 3/4, 13/16, 7/8, 1"	3/12

## DOUBLE OPEN END SPANNERS

### RECESSED PANEL NG 900

- Made From Carbon Steel / Crv Steel • Recessed Panel
- Double Layer Chrome Plated / Matt Head Polished
- Confirms To Din 3110 • Hardened And Tempered • Lifetime Warranty



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6x7	1/4x5/16	20	125	100/800	901.6
8x9	6/16x3/8	30	140	100/600	901.8
10x11	3/8x7/16	50	156	100/400	901.10
12x13	7/16x1/2	65	168	50/300	901.12
14x15	1/2x9/16	85	185	50/200	901.14
16x17	5/8x11/16	115	200	50/200	901.16
18x19		145	220	25/150	901.18
20x22	13/16x7/8	190	230	25/100	901.20
21x23	13/16x15/16	230	246	20/80	901.21
24x27	15/16x1.1/16	330	265	10/60	901.24
25x28	1x1.1/8	380	278	10/60	901.25
30x32	1.1/16x1.1/4	480	300	10/40	901.30

Set's Code	Contents	IB/OB
11/6M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17	10/40
11/8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	4/24
11/12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	2/12

## DOUBLE OPEN END SPANNERS

### RECESSED PANEL SHORT PATTERN NG 1100

- Made from Carbon Steel / CrV Steel • Recessed Panel • Lifetime Warranty
- Hardened and Tempered • Double Layer Chrome plated / matt finish



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6x7	1/4x5/16	20	97	100/800	1100.6
8x9	6/16x3/8	25	101	100/600	1100.8
10x11	3/8x7/16	35	120	100/400	1100.10
12x13	7/16x1/2	50	134	50/300	1100.12
14x15	1/2x9/16	65	147	50/200	1100.14
16x17	5/8x11/16	95	161	50/200	1100.16
18x19		115	181	50/200	1100.18
20x22	13/16x7/8	150	200	25/100	1100.20
21x23	13/16x15/16	175	210	25/100	1100.21
24x27	15/16x1.1/16	220	226	25/100	1100.24
25x28	1x1.1/8	280	235	10/80	1100.25
30x32	1.1/16x1.1/4	340	250	10/60	1100.30

Set's Code	Contents	IB/OB
12/6M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17	10/40
12/8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	5/30
12/12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	3/12

## RING SPANNERS

### RECESSED PANEL NG 1000

- Made From Carbon Steel / Crv Steel • Recessed Panel
- Double Layer Chrome Plated / Matt Head Polished
- Confirms To Din 838 • Hardened And Tempered • Lifetime Warranty



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6x7	1/4x5/16	55	170	50/400	1000.6
8x9	6/16x3/8	60	185	50/200	1000.8
10x11	3/8x7/16	80	195	50/200	1000.10
12x13	7/16x1/2	110	210	50/200	1000.12
14x15	1/2x9/16	145	225	25/150	1000.14
16x17	5/8x11/16	190	245	25/100	1000.16
18x19		235	268	25/100	1000.18
20x22	13/16x7/8	285	295	20/80	1000.20
21x23	13/16x15/16	350	296	15/60	1000.21
24x27	15/16x1.1/16	400	306	10/40	1000.24
25x28	1x1.1/8	455	328	10/40	1000.25
30x32	1.1/16x1.1/4	630	337	10/40	1000.30

Set's Code	Contents	IB/OB
22/6M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17	4/24
22/8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	5/20
22/12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	2/8

## RING SPANNERS

### ELLIPTICAL ROUGH MATT NG 1200

- Made from Chrome Vanadium Steel '31 CRV3' • Elliptical Pattern Oval Body • Chrome Plated Rough Matt Finish • Body Finish = Forging Finish • Hardened and Tempered • Confirm to IS : 2029



mm	ww	Weight	Length±2 (mm)	IB/OB	Art No.
6x7	1/4x5/16	55	175	50/400	1200.6
8x9	6/16x3/8	70	185	50/200	1200.8
10x11	3/8x7/16	90	198	50/200	1200.10
12x13	7/16x1/2	115	215	50/200	1200.12
14x15	1/2x9/16	150	228	25/150	1200.14
16x17	5/8x11/16	190	246	25/100	1200.16
18x19		235	268	25/100	1200.18
20x22	13/16x7/8	315	292	20/80	1200.20
21x23	13/16x15/16	350	315	15/60	1200.21
24x27	15/16x1.1/16	450	328	10/40	1200.24
25x28	1x1.1/8	500	342	10/40	1200.25
30x32	1.1/16x1.1/4	630	370	10/40	1200.30

Set's Code	Contents	IB/OB
25ERM/6M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17	4/24
25ERM/8M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22	4/16
25ERM/12M	6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 25x28, 30x32	2/8

## SLOGGING RING SPANNERS

HEAVY DUTY

NG 1300

- Made From Carbon Steel /crv Steel • Hardened And Tempered
- Double Layer Chrome Plated / Black Phosphated



mm	Weight	Length±2 (mm)	IB/OB	Art No.
24	250	160	1/15	1300.24
27	350	180	1/15	1300.27
30	400	190	1/15	1300.30
32	450	195	1/15	1300.32
34	600	195	1/15	1300.34
36	750	205	1/15	1300.36
38	680	205	1/15	1300.38
41	850	225	1/15	1300.41
46	1050	240	1/15	1300.46
50	1250	250	1/15	1300.50
55	1550	270	1/10	1300.55
60	1650	270	1/10	1300.60
65	2300	290	1/05	1300.65
70	2600	320	1/05	1300.70
75	3350	325	1/05	1300.75
80	3800	345	1/04	1300.80
85	1200	360	1/04	1300.85

## SLOGGING OPEN END SPANNERS

HEAVY DUTY

NG 1400

- Made From Carbon Steel /crv Steel • Hardened And Tempered
- Double Layer Chrome Plated / Black Phosphated



mm	Weight	Length±2 (mm)	IB/OB	Art No.
24	280	180	1/15	1400.24
27	385	180	1/15	1400.27
30	451	190	1/15	1400.30
32	552	195	1/15	1400.32
34	559	195	1/15	1400.34
36	709	210	1/15	1400.36
38	680	218	1/15	1400.38
41	1000	225	1/15	1400.41
46	1258	255	1/15	1400.46
50	1609	280	1/15	1400.50
55	2131	310	1/10	1400.55
60	2494	320	1/10	1400.60
65	3340	342	1/05	1400.65
70	4325	370	1/05	1400.70
75	5110	400	1/05	1400.75
80	5770	405	1/04	1400.80
85	6020	405	1/04	1400.85

## SINGLE OPEN END SPANNERS

- Made From Carbon Steel
- Hardened And Tempered

NG 1500

- Confirms To Din 894 • Lifetime Warranty
- Double Layer Chrome Plated / Black Phosphated



mm	Weight	Length±2 (mm)	IB/OB	Art No.
6	8	73	100/800	1500.6
7	10	78	100/800	1500.7
8	13	94	100/800	1500.8
10	20	106	100/800	1500.10
11	25	112	100/400	1500.11
12	30	124	100/400	1500.12
13	40	132	100/400	1500.13
14	45	140	100/400	1500.14
15	50	145	100/400	1500.15
17	70	159	50/200	1500.17
18	65	165	50/200	1500.18
19	90	170	50/200	1500.19
22	110	193	50/200	1500.22
24	140	217	25/100	1500.24
25	140	217	25/100	1500.25
30	275	263	10/80	1500.30
32	310	275	10/80	1500.32
34	360	290	10/60	1500.34
36	410	305	10/60	1500.36
38	410	305	10/60	1500.38
41	620	344	10/40	1500.41
46	820	380	5/30	1500.46
50	1000	413	5/20	1500.50
55	1250	459	5/20	1500.55
60	1550	494	5/10	1500.60
65	1900	528	5/10	1500.65
70	2150	572	5/10	1500.70
75	2800	610	2/8	1500.75
80	3100	645	2/8	1500.80

## DOUBLE OPEN END SPANNERS

- Made From Carbon Steel • Hardened And Tempered
- Confirms To Din 895 • Lifetime Warranty

NG 1600

- Double Layer Chrome Plated / Black Phosphated



mm	Weight	Length±2 (mm)	IB/OB	Art No.
6x7	10	85	100/800	1600.6
8x9	15	100	100/800	1600.8
10x11	30	110	100/800	1600.10
12x13	40	125	50/300	1600.12
13x16	60	140	50/300	1600.13
14x15	60	140	50/200	1600.14
15x16	70	140	50/200	1600.15
16x17	80	160	50/200	1600.16
16x18	90	160	50/200	1600.16a
18x19	100	180	25/150	1600.18
18x21	125	180	25/150	1600.18a
20x22	135	185	25/100	1600.20
21x23	170	210	25/100	1600.21
21x24	175	210	25/100	1600.21a
24x26	250	225	20/80	1600.24
24x27	270	225	15/60	1600.24a
26x28	340	235	15/60	1600.26
27x30	400	250	15/60	1600.27
27x32	400	250	15/60	1600.27a
30x32	400	250	10/40	1600.30
30x34	480	250	10/40	1600.30a
32x36	520	285	10/40	1600.32
36x41	680	335	10/40	1600.36
41x46	950	370	5/30	1600.41
46x50	1200	405	5/20	1600.46
50x55	1550	445	3/12	1600.50
55x60	1850	480	3/12	1600.55
65x70	2700	560	2/8	1600.65
75x80	4200	635	2/6	1600.75



## COMBINATION CUTTING PLIERS

NG 1700

- Full Body Hardened & Tempered
- Induction Hardened Cutter
- Dual Component Handle
- Black Phosphated



mm	IB/OB	Art No.
6/150	6/96	1700.6
7/175	6/72	1700.7
8/200	6/60	1700.8

## SIDE CUTTING PLIERS

NG 1800

- Full Body Hardened & Tempered
- Induction Hardened Cutter
- Dual Component Handle
- Black Phosphated



mm	IB/OB	Art No.
6/150	6/96	1800.6
7/175	6/72	1800.7

## LONG NOSE PLIERS

NG 1900

- Full Body Hardened & Tempered
- Induction Hardened Cutter
- Dual Component Handle
- Black Phosphated



mm	IB/OB	Art No.
6/150	6/96	1900.6
7/175	6/72	1900.7
8/200	6/60	1900.8

## ADJUSTABLE WRENCH

NG 2000

### HEAVY DUTY

- Full Body Hardened & Tempered
- Extra Wide Handle
- Black Phosphated Head Polished, Nickle Plated, Chrome Plated



mm	IB/OB	Art No.
4/100	10/200	2000.4
6/150	6/96	2000.6
8/200	6/60	2000.8
10/250	6/48	2000.10
12/300	6/36	2000.12
15/375	4/16	2000.15

## WATER PUMP PLIERS

NG 2100

### BOX JOINT

- Full Body Hardened & Tempered
- Made From Crv Steel
- Double Dip Sleeve
- Black Phosphated Head Polished



mm	IB/OB	Art No.
7/175	6/72	2100.7
10/250	6/60	2100.10
12/300	6/48	2100.12
16/400	6/20	2100.16

## TOWER PINCER FLAT HEAD

NG 2200

- Full Body Hardened & Tempered
- Induction Hardened Cutter
- Dual Component Handle
- Black Phosphated Head Polished



mm	IB/OB	Art No.
9/225	6/60	2200.9
10/250	6/48	2200.10
11/275	6/48	2200.11

## COBLER PINCER

NG 2300

### HEAVY DUTY

- Full Body Hardened & Tempered
- Induction Hardened Cutter
- Dual Component Handle
- Black Phosphated Head Polished



mm	IB/OB	Art No.
6/150	6/96	2300.6
7/175	6/72	2300.7
8/200	6/60	2300.8

## PIPE WRENCH

NG 2400

### BOX JOINT

- Made From EN8 Steel
- Full Body Hardened
- Matt Powder Coating Finish
- Polished Panel




mm	IB/OB	Art No.
10/250	6/36	2400.10
12/300	6/24	2400.12
14/350	6/24	2400.14
18/450	4/16	2400.18
24/600	2/8	2400.24
36/900	1/4	2400.36

## RIGID PIPE WRENCH


NG 2500

- Hardened & Tempered
- Handle Painted
- EN8 Material



mm	IB/OB	Art No.
10/250	6/36	2500.10
12/300	6/24	2500.12
14/350	6/24	2500.14
18/450	4/16	2500.18
24/600	2/8	2500.24
36/900	1/1	2500.36
48/1200	1/1	2500.48





**AUTO PARTS**



**FLANGES**



**RAILWAY PARTS**



**SCAFFOLDING PARTS**



**RAILWAY PARTS BLANKS**



**GEAR PARTS**



# NAMDEV GROUP

HAND TOOLS, SPROCKETS & FORGING COMPONENTS.

## NAMDEV FORGE PVT. LTD.

70 Feet Road, Ambay Majra,  
Mandi Gobindgarh, Fatehgarh Sahib,  
Pb-147301 India.

+91-97800-00722  
+91-80000-00742

## NAMDEV INDUSTRIES

D-74, Focal Point  
Mandi Gobindgarh Fatehgarh Sahib,  
Pb-147301 India.

pankaj@ndhandtools.com  
ravi@ndhandtools.com  
sales@ndhandtools.com

  /ndhandtools

[www.ndhandtools.com](http://www.ndhandtools.com)



WEBSITE



PRODUCT CATALOGUE